



MASTER TRIAL LIST

APRIL 2022

*****NEW & REOPENED TRIALS HIGHLIGHTED IN GREEN!*****

JUST IN TIME TRIALS (JIT)		
AML	ANAL	ALL
APL	BLADDER-UROTHELIAL	BRAIN
BREAST/ GYN	CANCER CONTROL	CARCINOID
CLL	CML	COLON-RECTAL
ESOPHAGEAL - GASTRIC	HEAD & NECK	LYMPHOMA
MDS	MELANOMA	MERKEL
MOLECULAR STUDIES	MULTIPLE MYELOMA	NSCLC
PANCREATIC	PROSTATE	RADIATION TRIALS
RENAL CELL	SMALL CELL LUNG CANCER	VULVA

Updated 4.26.22

RADIATION LOCATIONS:

OSF Glen Oak - OSF main hospital

OSF Route 91 (attached to Illinois CancerCare)

UPHM - Unity Point Health Methodist

Galesburg - Western Illinois Cancer Treatment Center



JUST IN TIME (JIT) TRIALS

*Contact Disease Specific Navigator

Multi-Disease Site: Advanced/Metastatic Solid Tumors

[RAIN-3202](#)

A Phase 2 Basket Study of Milademetan in Advanced/Metastatic Solid Tumors

Brain

[A021804](#)

A Prospective, Multi-Institutional Phase II Trial Evaluating Temozolomide vs. Temozolomide and Olaparib for Advanced Pheochromocytoma and Paraganglioma

[A071702](#)

A Phase II Study of Checkpoint Blockade Immunotherapy in Patients With Somatically Hypermutated Recurrent Glioblastoma

Breast

[S1706](#)

(RT not credentialed yet)-A Phase II Randomized Trial of Olaparib (NSC-747856) Administered Concurrently with Radiotherapy versus Radiotherapy Alone for Inflammatory Breast Cancer

Carcinoid

[S2104](#)

Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors

Endometrial

[GY014](#)

(Temp. suspended) Phase II Study of Tazemetostat (EPZ-6438) (IND # 138671) in Recurrent or Persistent Endometrioid or Clear Cell Carcinoma of the Ovary, and Recurrent or Persistent Endometrioid Endometrial Adenocarcinoma

Gastrointestinal

[EA2187](#)

Temporarily closed Phase II study of Pevonedistat in Combination with Carbo and paclitaxel in advanced intrahepatic cholangiocarcinoma.

[EA2197](#)

Optimal Perioperative Therapy for Incidental Gallbladder Cancer (OPT-IN): A Randomized Phase II/III Trial

[S1922](#)

Randomized Phase II Selection Study of Ramucirumab and Paclitaxel versus FOLFIRI in Refractory Small Bowel Adenocarcinoma

Genitourinary - Rare

<u>A031702</u>	Phase II Study of Cabozantinib in Combination with Nivolumab and Ipilimumab in Rare Genitourinary Tumors (<i>temp closed cohorts - small cell carcinoma/neuroendocrine & adenocarcinoma of bladder, penile, and misc GU tract variants, renal medullary carcinoma, and rare GU</i>)
Head & Neck	
<u>EA3191</u>	Temporarily Closed (RT at Route-91) A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma With High Risk Features
Lung	
<u>S1934</u>	Randomized Phase II Trial of Trimodality +/- Atezolizumab in Resectable Superior Sulcus Non-Small Cell Lung Cancer. NASSIST (Neoadjuvant Chemoradiation +/- Immunotherapy Before Surgery for Superior Sulcus Tumors)
Melanoma	
<u>EA6192</u>	A Phase II Study of Biomarker Driven Early Discontinuation of Anti-PD-1 Therapy in Patients With Advanced Melanoma (PET-Stop)
<u>S1801</u>	A Phase II Randomized Study of Adjuvant versus NeoAdjuvant MK-3475 (Pembrolizumab) for Clinically Detectable Stage III-IV High-Risk Melanoma
Multi-Disease	
<u>S1614</u>	<i>(temp closed)</i> A Phase III Randomized Trial of Prophylactic Antiviral Therapy in Patients with Current or past hepatitis B Virus Infection Receiving Anti-Cancer Therapy for Solid Tumors
Neuroendocrine	
<u>S2012</u>	Randomized Phase II/III Trial of First Line Platinum/Etoposide With or Without Atezolizumab In Patients w/ Poorly Differentiated Extrapulmonary Small Cell Neuroendocrine Carcinoma (NEC)
Ovarian	
<u>GY014</u>	<i>(temp closed)</i> Phase II Study of Tazemetostat (EPZ-6438) (IND # 138671) in Recurrent or Persistent Endometrioid or Clear Cell Carcinoma of the Ovary, and Recurrent or Persistent Endometrioid Endometrial Adenocarcinoma
Pancreas	
<u>S2001</u>	Randomized Phase II Clinical Trial of Olaparib + Pembrolizumab vs. Olaparib Alone as Maintenance Therapy in Metastatic Pancreatic Cancer Patients with Germline BRCA1 or BRCA2 Mutations

<u>S2104</u>	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors
Rectal	
<u>EA2201</u>	(RT at Glen Oak, UPHM, Galesburg) A Phase II Study of Neoadjuvant Nivolumab Plus Ipilimumab and Short-Course Radiation in MSI-H/dMMR Locally Advanced Rectal Adenocarcinoma
Sarcoma	
<u>A091902</u>	A Multicenter Phase II Trial of Paclitaxel With and Without Nivolumab in Taxane Naive, and Nivolumab and Cabozantinib in Taxane Pretreated Subjects With Angiosarcoma <i>(closed to taxane pre-treated pts only)</i>
Skin	
<u>A091802</u>	Phase II randomized Trial of Avelumab plus cetuximab versus avelumab alone in advanced cutaneous Squamous cell carcinoma of skin
Thymoma	
<u>S1701</u>	A Randomized Phase II Trial of Carboplatin-Paclitaxel with or without Ramucirumab in Patients with Unresectable Locally Advanced, Recurrent, or Metastatic Thymic Carcinoma

MASTER TRIAL LIST

APRIL 2022

MENU

AML

Navigator - Heather x3661

[Connect Myeloid](#)

The Myelofibrosis (MF), Myelodysplastic Syndromes (MDS) and Acute Myeloid Leukemia (AML) Disease Registry. ***(enrolling low risk MDS only)***



MASTER TRIAL LIST

APRIL 2022



ANAL

Navigator - Carrie x3621

<u>EA2176</u>	A Randomized Phase III Study of Immune Checkpoint Inhibition With Chemotherapy in Treatment-Naive Metastatic Anal Cancer Patients
<u>EA2182</u>	(RT at UPHM and Glen Oak) A Randomized Phase II Study of De-Intensified ChemoRadiation for Early-Stage Anal Squamous Cell Carcinoma (DECREASE)



ILLINOIS
CANCERCARE, P.C.

Specializing in Cancer and Blood Disorders

MASTER TRIAL LIST

APRIL 2022

[MENU](#)

APL

Navigator - Heather x3661

There are no trials available at this time



MASTER TRIAL LIST

APRIL 2022



ACUTE LYMPHOBLASTIC LEUKEMIA

Navigator - Heather x3661

[EA9152](#)

A Phase IB/II Study of Venetoclax (ABT-199) in Combination With Liposomal Vincristine in Patients With Relapsed or Refractory T-Cell or B-Cell Acute Lymphoblastic Leukemia



MASTER TRIAL LIST

APRIL 2022



BLADDER / UROTHELIAL

Navigator - Carrie x3621

ADJUVANT / NEOADJUVANT

<u>BMS CA017-078</u>	(Peoria, Bloomington, Galesburg, and Peru) -A Phase 3, Randomized, Study of Neoadjuvant Chemotherapy alone versus Neoadjuvant Chemotherapy plus Nivolumab or Nivolumab and BMS-986205, Followed by Continued Post-Surgery Therapy with Nivolumab or Nivolumab and BMS-986205 in Participants with Muscle-Invasive Bladder Cancer (<i>BMS-986205/placebo tablets discontinued</i>)
<u>EA8185</u>	(RT pending at Glen Oak & Rt-91) Phase 2 Study of Bladder-Sparing Chemoradiation With MEDI4736 (Durvalumab) in Clinical Stage 3, Node Positive Bladder Cancer (INSPIRE)
<u>S1806</u>	(RT at Glen Oak, UPHM and Galesburg) Phase III Randomized Trial of Concurrent Chemoradiotherapy with or without Atezolizumab in Localized Muscle Invasive Bladder Cancer
<u>S2011</u>	Randomized Phase II Trial of Gemcitabine, Avelumab and Carboplatin vs. No Neoadjuvant Therapy Preceding Surgery for Cisplatin-Ineligible Muscle-Invasive Urothelial Carcinoma: SWOG GAP TRIAL
METASTATIC	
<u>A031901</u>	Duration of Immune Checkpoint Therapy in Locally Advanced or Metastatic Urothelial Carcinoma: A Randomized Phase 3 Non-Inferiority Trial
<u>A032001</u>	NEW! Phase III Randomized Trial of Maintenance Cabozantinib and Avelumab vs Maintenance Avelumab After First-Line Platinum-Based Chemotherapy in Patients With Metastatic Urothelial Cancer

A032002

(RT at Glen Oak) Phase II Randomized Trial of Atezolizumab Versus Atezolizumab and Radiation Therapy for Platinum Ineligible/Refractory Metastatic Urothelial Cancer (ART)



MASTER TRIAL LIST

APRIL 2022



BRAIN

Navigator - Carrie x3621

<u>BN007</u>	(RT at UPHM, Glen Oak, Galesburg) A Randomized Phase II/III Open-Label Study of Ipilimumab and Nivolumab Versus Temozolomide in Patients With Newly Diagnosed MGMT (Tumor O-6-Methylguanine DNA Methyltransferase) Unmethylated Glioblastoma
<u>BN011</u>	(RT at Glen Oak) A Phase III Trial of Gleostine® (Lomustine)-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients With Methylated MGMT Promoter Glioblastoma
<u>N0577</u>	(RT at Glen Oak, RT 91, and UPHM) Phase III Intergroup Study of Radiotherapy with Concomitant and Adjuvant Temozolomide versus Radiotherapy with Adjuvant PCV Chemotherapy in Patients with 1p/19q Co-deleted Anaplastic Glioma or Low Grade Glioma



BREAST

Navigator - Angie x3613

DCIS

[AFT-25](#)

Comparing an Operation to Monitoring, With or Without Endocrine Therapy Trial For Low Risk DCIS: A Phase III Prospective Randomized Trial (COMET)

NEO/ADJUVANT TREATMENT

[S1706*](#)

RT credentialing pending - A Phase II Randomized Trial of Olaparib (NSC-747856) Administered Concurrently with Radiotherapy versus Radiotherapy Alone for Inflammatory Breast Cancer (All biomarker subgroups eligible) | *JIT TRIAL - expect 1 week delay to consent pt

Neo/Adjuvant - HER2 Positive

[EA1181](#)

Preoperative THP and Postoperative HP in Patients Who Achieve a Pathologic Complete Response (CompassHER2-pCR)

Neo/Adjuvant - Hormone Receptor Positive / HER2 Negative

[BR007](#)

(RT at Galesburg, Glen Oak, Rt 91, UPHM) Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurrence Score Less Than or Equal to 18 Breast Cancer

Neo/Adjuvant - Triple Negative

No trials at this time.

METASTATIC TREATMENT

Metastatic - HER2 Positive

[BR004](#)

A Randomized, Double-Blind, Phase III Trial of Paclitaxel/Trastuzumab/Pertuzumab with Atezolizumab or Placebo in First-Line HER2-Positive Metastatic Breast Cancer

Metastatic - Hormone Receptor Positive / HER2 Negative

No trials at this time

Metastatic - Triple Negative

no trials at this time

SURGERY / RADIATION ONLY

[A011202](#)

Temporarily Closed- A Randomized Phase III Trial Evaluating the Role of Axillary Lymph Node Dissection in breast Cancer Patients (cT1-3 N1) Who Have Positive Lymph Node Disease After Neoadjuvant Chemotherapy. (RT: Glen Oak, Rt 91, UPHM, Galesburg)

[MA.39](#)

Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer (RT: Glen Oak and UPHM)

CANCER CONTROL (*Breast only*)

<u>A191901</u>	(Peoria, Bloomington, Galesburg, Ottawa, Pekin, and Peru) Optimizing Endocrine Therapy Through Motivational Interviewing and Text Interventions (<i>only enrolling African American women</i>)
<u>A211901</u>	Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
<u>A222004</u>	A Randomized Phase III Trial of Olanzapine Versus Megestrol Acetate for Cancer-Associated Anorexia
<u>EAQ202</u>	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials
<u>PROT001/ BLUENOTE</u>	(Peoria, Bloomington, Galesburg, Peru, Pekin and Ottawa) Double-blinded, Randomized, Adaptive Registrational Trial to Compare Effectiveness of Two Digital Software Medical Devices (Attune™ and Cerena™) as Interventions for Physical and Emotional Health in Adjunctive Oncology Treatment
<u>S1912CD</u>	A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT)
<u>S2013</u>	Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT)
<u>URCC 16070</u>	Treatment of Refractory Nausea- for breast cancer patients.
<u>URCC-18007</u>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue in stage I-III Breast cancer pts.- <i>at least 2 months out from surgery/tx/radiation</i>
<u>WF-1901</u>	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)

GYNECOLOGICAL

Navigator - Angie x3613

<u>NRG - GY023</u>	A Randomized Phase II Trial of Triplet Therapy (a PD-L1 Inhibitor (Durvalumab) MEDI4736 in Combination With Olaparib and Cediranib) Compared to Olaparib and Cediranib or (Durvalumab) MEDI4736 and Cediranib or Standard of Care Chemotherapy in Women With Platinum-Resistant Recurrent Epithelial Ovarian Cancer, Primary Peritoneal or Fallopian Cancer Who Have Received Prior Bevacizumab

CANCER CONTROL

MULTI-DISEASE SITES

A211901	Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
A222004	A Randomized Phase III Trial of Olanzapine Versus Megestrol Acetate for Cancer-Associated Anorexia
EAQ202	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials
PROT001/ BLUENOTE	(Peoria, Bloomington, Galesburg, Peru, Pekin and Ottawa) Double-blinded, Randomized, Adaptive Registrational Trial to Compare Effectiveness of Two Digital Software Medical Devices (Attune™ and Cerena™) as Interventions for Physical and Emotional Health in Adjunctive Oncology Treatment
S1912CD	A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT)
S2013	Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT)
URCC 21038	COMING SOON! Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting
WF-1901	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)

BREAST

A191901	(Peoria, Bloomington, Galesburg, Ottawa, Pekin, and Peru) Optimizing Endocrine Therapy Through Motivational Interviewing and Text Interventions (<i>only enrolling African American women</i>)
URCC 16070	Treatment of Refractory Nausea- for breast cancer patients.
URCC-18007	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue in stage I-III Breast cancer pts.- <i>at least 2 months out from surgery/tx/radiation</i>

LUNG

Nothing currently available for Lung only - *See Multi-Disease Cancer Control trials ABOVE.*

COLORECTAL

WF-1806	(M&M Study) Myopenia and Mechanisms of Chemotherapy Toxicity in older Adults with Colorectal Cancer
-------------------------	---

BRAIN

WF-1801	A Single Arm, Pilot Study of Ramipril for Preventing Radiation-Induced Cognitive Decline in Glioblastoma (GBM) Patients Receiving Brain Radiotherapy
-------------------------	--

REGISTRY

Contact Disease Specific Navigator

<u>Connect Myeloid</u>	The Myelofibrosis (MF), Myelodysplastic Syndromes (MDS) and Acute Myeloid Leukemia (AML) Disease Registry. <i>(enrolling low risk MDS only)</i>
<u>NHLBI-MDS</u>	(Peoria, Bloomington and Galesburg only) -The National Myelodysplastic Syndromes (MDS) Study



ILLINOIS
CANCERCARE, P.C.C.
Specializing in Cancer and Blood Disorders

MASTER TRIAL LIST

APRIL 2022

[MENU](#)

CARCINOID

Navigator - Ashton x3611
Carrie x3621

No trials at this time



MASTER TRIAL LIST

APRIL 2022



CLL

Navigator - Heather x3661

1st Line

<p><u>A041702</u></p>	<p>A Randomized Phase III Study of Ibrutinib Plus Obinutuzumab Versus Ibrutinib Plus Venetoclax and Obinutuzumab in Untreated Older Patients (≥ 65 Years of Age) With Chronic Lymphocytic Leukemia (CLL)</p>
------------------------------	--

2nd Line, 3rd Line, etc.

no trials at this time

MASTER TRIAL LIST

APRIL 2022



CML

Navigator - Heather x3661

[S1712](#)

A Randomized Phase II Study of Ruxolitinib in Combination with BCR-ABL Tyrosine Kinase Inhibitors in Chronic Myeloid Leukemia Patients with Evidence of Molecular Disease.

MASTER TRIAL LIST

MENU

APRIL 2022

COLON / RECTAL

Navigator - Carrie x3621

Adjuvant

A021502	Randomized Trial of Standard Chemotherapy Alone or Combined With Atezolizumab as Adjuvant Therapy for Patients With Stage III Colon Cancer and Deficient DNA Mismatch Repair
C-14	Second Colorectal Cancer Clinical Validation Study to Predict Recurrence Using A Circulating Tumor DNA Assay To Detect Minimal Residual Disease (CORRECT-MRD II)
GI005	Phase II/III Study of Circulating Tumor DNA as a Predictive Biomarker in Adjuvant Chemotherapy in Patients With Stage IIA Colon Cancer (COBRA)
GI008	NEW! Colon Adjuvant Chemotherapy Based on Evaluation of Residual Disease

Metastatic

MK 7339-003	(Peoria, Bloomington, Galesburg, Peru) A Phase 3 Randomized, Open-label Study to Evaluate the Efficacy and Safety of Olaparib Alone or in Combination With Bevacizumab Compared to Bevacizumab with 5-FU in Participants with Unresectable or Metastatic Colorectal Cancer who Have Not Progressed Following First-line Induction of FOLFOX With Bevacizumab (LYNK-003)
-----------------------------	--

CANCER CONTROL (Colorectal only)

A211901	Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
A222004	A Randomized Phase III Trial of Olanzapine Versus Megestrol Acetate for Cancer-Associated Anorexia
EAQ202	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials
S1912CD	A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT)
S2013	Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT)
WF-1901	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)
WF-1806	(M&M Study) Myopenia and Mechanisms of Chemotherapy Toxicity in older Adults with Colorectal Cancer



MASTER TRIAL LIST

APRIL 2022



ESOPHAGEAL- GASTRIC

Navigator - Carrie x3621

[EA2174](#)

(RT at Glen Oak, RT-91, UPHM, Galesburg) A Phase II/III Study of Peri-Operative Nivolumab and Ipilimumab in Patients With Locoregional Esophageal and Gastroesophageal Junction Adenocarcinoma

HEAD & NECK

Navigator - Ashton x3611

<p><u>EA3161</u></p>	<p>(RT at Glen Oak, UPH, Galesburg) A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC</p>
<p><u>EA3191 - JIT</u></p>	<p>Temporarily Closed (RT at Route-91) A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma With High Risk Features</p>
<p><u>HN005</u></p>	<p>(RT at UPHM, Galesburg, Glen Oak) A Randomized Phase II/III Trial of De-Intensified Radiation Therapy for Patients With Early-Stage, P16-Positive, Non-Smoking Associated Oropharyngeal Cancer</p>
<p><u>HN009</u></p>	<p>NEW! (RT at UPHM) Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m²) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m²) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)</p>

LYMPHOMA

HL

S1826

(RT at Glen Oak, Rt-91, UPHM) A Phase III, Randomized Study of Nivolumab (Opdivo) Plus AVD or Brentuximab Vedotin (Adcetris) Plus AVD in Patients (Age \geq 12 Years) With Newly Diagnosed Advanced Stage Classical Hodgkin Lymphoma

NHL

EA4181

A Randomized 3-Arm Phase II Study Comparing 1.) Bendamustine, Rituximab and High Dose Cytarabine (BR/CR) 2.) Bendamustine, Rituximab, High Dose Cytarabine and Acalabrutinib (BR/CR-A), and 3.) Bendamustine, Rituximab and Acalabrutinib (BR-A) in Patients \leq 70 Years Old With Untreated Mantle Cell Lymphoma

SLL



MASTER TRIAL LIST

APRIL 2022

MENU

MDS

Navigator - Heather x3661

<u>Connect Myeloid</u>	The Myelofibrosis (MF), Myelodysplastic Syndromes (MDS) and Acute Myeloid Leukemia (AML) Disease Registry. <i>(enrolling low risk MDS only)</i>
<u>NHLBI-MDS</u>	(Peoria, Bloomington and Galesburg only) -The National Myelodysplastic Syndromes (MDS) Study
<u>M15-954</u>	(Peoria, Bloomington, Galesburg, Pekin) A Randomized, Double-Blind, Phase 3 Study Evaluating the Safety and Efficacy of Venetoclax in Combination With Azacitidine in Patients Newly Diagnosed With Higher-Risk Myelodysplastic Syndrome (Higher-Risk MDS)



ILLINOIS
CANCERCARE, P.C.
Specializing in Cancer and Blood Disorders

MASTER TRIAL LIST

APRIL 2022

[MENU](#)

MELANOMA

Navigator - Carrie x3621

No trials at this time



MASTER TRIAL LIST

APRIL 2022

MENU

MERKEL

Navigator - Carrie x3621

EA6174

(RT at Glen Oak and Rt-91 pending) A Phase III Randomized Trial Comparing Adjuvant MK3475 (Pembrolizumab) to Standard of Care Observation in Completely Resected Merkel Cell Carcinoma



MASTER TRIAL LIST

APRIL 2022



MOLECULAR STUDIES

*Contact Disease Specific Navigator

<p><u>2215-MA-3297 / CLEVO</u></p>	<p>Activation Pending - A non-interventional cohort study of the Clonal EVolution of <i>FLT3</i> mutations during disease progression in patients with acute myeloid leukemia - CLEVO</p>
<p><u>64091742PCR0002 / Prevalence</u></p>	<p>Biomarker Study to Determine Frequency of DNA-repair Defects in Men with Metastatic Prostate Cancer (Prevelence)</p>
<p><u>A151804</u></p>	<p>Establishment of a National Biorepository to Advance Studies of Immune-Related Adverse Events</p>
<p><u>NSABP C-14</u></p>	<p>Second Colorectal Cancer Clinical Validation Study to Predict Recurrence Using A Circulating Tumor DNA Assay To Detect Minimal Residual Disease (CORRECT-MRD II)</p>
<p><u>S1823</u></p>	<p>A Study of miRNA 371 in Patients With Germ Cell Tumor (<i>closed to high risk pts or pts on chemo for testicular cancer</i>)</p>
<p><u>TPX-0005-01 (TRIDENT-1)</u></p>	<p>A Phase 1/2, Open-Label, Multi-Center, First-in-Human Study of the Safety, Tolerability, Pharmacokinetics, and Anti-Tumor Activity of TPX-0005 in Patients with Advanced Solid Tumors Harboring ALK, ROS1, or NTRK1-3 Rearrangements (TRIDENT-1)</p>

MASTER TRIAL LIST

APRIL 2022



MULTIPLE MYELOMA

Navigator - Heather x3661

S1803

Phase III Study of Daratumumab/rHuPH20 (NSC- 810307) + Lenalidomide or Lenalidomide as Post-Autologous Stem Cell Transplant Maintenance Therapy in Patients with Multiple Myeloma (MM) Using Minimal Residual Disease to Direct Therapy Duration (DRAMMATIC Study)

NSCLC

Navigator - Ashton x3611

ADJUVANT / NEOADJUVANT

<u>A081801</u>	REOPENED! Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO (ALCHEMIST substudy- <i>Must be enrolled on ALCHEMIST and this substudy prior to start of tx</i>).
<u>A151216</u>	Adjuvant Lung Cancer Enrichment Marker Identification and Sequencing Trial (ALCHEMIST).
<u>EA5181</u>	(RT at UPHM and Galesburg) Randomized Phase III Trial of MEDI4736 (Durvalumab) as Concurrent and Consolidative Therapy or Consolidative Therapy Alone for Unresectable Stage 3 NSCLC (credentialing pending at Glen Oak & Rt-91)
<u>GO41854</u>	(Bloomington, Galesburg, Peoria, Peru) A Phase III, Open Label, Randomized Study of Atezolizumab and Tiragolumab Compared With Durvalumab in Patients With Locally Advanced, unresectable Stage III Non-Small Cell Lung Cancer Who Have Not Progressed After Concurrent Platinum-Based Chemoradiation (SKYSCRAPER-03)
<u>S1914</u>	(RT at Glen Oak, UPHM, Galesburg) Randomized Phase III Trial of Induction/Consolidation Atezolizumab (NSC #783608) + SBRT Versus SBRT Alone in High Risk, Early Stage NSCLC
<u>S1934 (JIT)</u>	Randomized Phase II Trial of Trimodality +/- Atezolizumab in Resectable Superior Sulcus Non-Small Cell Lung Cancer. NASSIST (Neoadjuvant Chemoradiation +/- Immunotherapy Before Surgery for Superior Sulcus Tumors)

METASTATIC - 1st Line

<u>EA5163/S1709</u> <u>INSIGNA</u>	Temporarily Closed A Randomized, Phase III Study of Firstline Immunotherapy alone or in Combination with Chemotherapy in Induction/Maintenance or Postprogression in Advanced Nonsquamous Non-Small Cell Lung Cancer (NSCLC) with Immunobiomarker SIGNature-driven Analysis
<u>EA5182</u>	Randomized Phase III Study of Combination AZD9291 (osimertinib) and Bevacizumab versus AZD9291 (osimertinib) Alone as First-Line Treatment for Patients with Metastatic EGFR-Mutant Non-Small Cell Lung Cancer (NSCLC)
<u>MK 7684A-003</u>	(Peoria only) A Phase 3, Multicenter, Randomized, Double-Blind Study of MK-7684 with Pembrolizumab as a Coformulation (MK-7684A) Versus Pembrolizumab Monotherapy as First Line Treatment for Participants With PD-L1 Positive Metastatic Non-Small Cell Lung Cancer
<u>TH-138</u>	(Peoria, Bloomington, Galesburg, Peoria) Phase II Randomized Trial of Carboplatin + Pemetrexed+ Bevacizumab, With or Without Atezolizumab in Stage IV Non-Squamous NSCLC Patients Who Harbor a Sensitizing EGFR Mutation or Have Never Smoked (non smokers)

METASTATIC - 2nd/3rd Line

<u>LUNGMAP</u>	A Master Protocol To Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated NSCLC. (SUB-STUDIES: S1800D - A Phase II/III Study of N-803 (ALT-803) plus Pembrolizumab versus Standard of Care in Participants with Stage IV or Recurrent Non-Small Cell Lung Cancer Previously Treated with Anti-PD-1 or Anti-PD-L1 Therapy; S1900E - A Phase II Study of AMG 510 in Participants With Previously Treated Stage IV or Recurrent KRAS G12C Mutated Non-Squamous Non-Small Cell Lung Cancer)
--------------------------------	---

<u>MK 7684A-002</u>	(Peoria only) A Phase II, Multicenter, Randomized Study to Compare the Efficacy and Safety of MK-7684A or MK-7684A Plus Docetaxel Versus Docetaxel Monotherapy in the Treatment of Participants With Metastatic NSCLC With Progressive Disease After Treatment With a Platinum Doublet Chemotherapy and Immunotherapy.
<u>TH-138</u>	(Peoria, Bloomington, Galesburg, Pekin) Phase II Randomized Trial of Carboplatin + Pemetrexed+ Bevacizumab, With or Without Atezolizumab in Stage IV Non-Squamous NSCLC Patients Who Harbor a Sensitizing EGFR Mutation or Have Never Smoked (EGFR mutants)
CANCER CONTROL (NSCLC Only)	
<u>A211901</u>	Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
<u>A222004</u>	A Randomized Phase III Trial of Olanzapine Versus Megestrol Acetate for Cancer-Associated Anorexia
<u>EAQ202</u>	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials
<u>PROT001/ BLUENOTE</u>	(Peoria, Bloomington, Galesburg, Peru, Pekin and Ottawa) Double-blinded, Randomized, Adaptive Registrational Trial to Compare Effectiveness of Two Digital Software Medical Devices (Attune™ and Cerena™) as Interventions for Physical and Emotional Health in Adjunctive Oncology Treatment
<u>S1912CD</u>	A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT)
<u>S2013</u>	Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT)
<u>WF-1901</u>	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)



ILLINOIS
CANCERCARE, P.C.
Specializing in Cancer and Blood Disorders

MASTER TRIAL LIST

APRIL 2022

[MENU](#)

PANCREATIC

Navigator - Carrie x3621

No trials at this time

PROSTATE

Navigator - Carrie x3621

ADJUVANT

<u>GU005</u>	(RT at Glen Oak & UPHM) -Phase II IGRT and SBRT vs. IGRT and hypofractionate IMRT for Localized Intermediate Risk Prostate Cancer.
<u>GU008</u>	(RT at Glen Oak, UPHM; pending @ Galesburg) Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging Into Treatment for Patients With Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE): <i>Intensifying Treatment for Node Positive Prostate Cancer by Varying the Hormonal Therapy</i>
<u>GU009</u>	(RT at Glen Oak, Galesburg, UPHM; Credentialing Pending @ Rt 91) Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De-Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk With Radiation (PREDICT-RT*)
<u>GU010</u>	(RT at UPHM) Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification and Intensification Clinical Trial Evaluation (GUIDANCE)

METASTATIC

<u>64091742PCR0002 / Prevalence</u>	Biomarker Study to Determine Frequency of DNA-repair Defects in Men with Metastatic Prostate Cancer
<u>C2321001</u>	(Peoria only) A Phase I Dose Escalation and Expanded Cohort Study of PF-06821497 in the Treatment of Adult Patients with Relapsed/Refractory Small Cell Lung Cancer (SCLC), Castration Resistant Prostate Cancer (CRPC) and Follicular Lymphoma (FL)

<u>A031902 / CASPAR</u>	A Phase III Trial of Enzalutamide and Rucaparib as a Novel Therapy in First-Line Metastatic Castration-Resistant Prostate Cancer
<u>GU011</u>	(RT at Glen Oak and UPHM) A Phase II Double-Blinded, Placebo-Controlled Trial of PROstate OligoMETastatic RadiothERapy With or Without ANdrogen Deprivation Therapy in Oligometastatic Prostate Cancer (NRG Promethean)
<u>S1802</u>	(RT at Glen Oak & UPHM) Phase III Randomized Trial of Standard Systemic Therapy (SST) versus Standard Systemic Therapy Plus Definitive Treatment (Surgery or Radiation) of the Primary Tumor in Metastatic Prostate Cancer

MASTER TRIAL LIST

APRIL 2022



RENAL CELL

Navigator - Carrie x3621

<u>A031704</u>	PD-Inhibitor (nivolumab) and Ipilimumab Followed by Nivolumab vs. VEGF TKI Cabozantinib with Nivolumab: A Phase III Trial in Metastatic Untreated Renal Cell Cancer (PDIGREE)
<u>MK 6482-011</u>	(Peoria, Bloomington, Galesburg, Pekin) An Open-label, Randomized, Phase 3 Study of MK-6482 in Combination with Lenvatinib (MK-7902) vs Cabozantinib for Second-line or Third-line Treatment in Participants with Advanced Renal Cell Carcinoma Who Have Progressed After Prior Anti-PD-1/L1 Therapy

MASTER TRIAL LIST

APRIL 2022

MENU

RADIATION TRIALS

Navigator - Jessica x3615

CANCER CONTROL	
<u>WF-1801</u>	A Single Arm, Pilot Study of Ramipril for Preventing Radiation-Induced Cognitive Decline in Glioblastoma (GBM) Patients Receiving Brain Radiotherapy
ANAL	
<u>EA2182</u>	(UPHM and Glen Oak) A Randomized Phase II Study of De-Intensified ChemoRadiation for Early-Stage Anal Squamous Cell Carcinoma (DECREASE)
BLADDER	
<u>A032002</u>	(RT at Glen Oak) Phase II Randomized Trial of Atezolizumab Versus Atezolizumab and Radiation Therapy for Platinum Ineligible/Refractory Metastatic Urothelial Cancer (ART)
<u>EA8185</u>	(RT pending at Glen Oak & Rt-91) Phase 2 Study of Bladder-Sparing Chemoradiation With MEDI4736 (Durvalumab) in Clinical Stage 3, Node Positive Bladder Cancer (INSPIRE)
<u>S1806</u>	(Glen Oak, UPHM and Galesburg) Phase III Randomized Trial of Concurrent Chemoradiotherapy with or without Atezolizumab in Localized Muscle Invasive Bladder Cancer
BRAIN	
<u>BN007</u>	(UPHM, Glen Oak, Galesburg) A Randomized Phase II/III Open-Label Study of Ipilimumab and Nivolumab Versus Temozolomide in Patients With Newly Diagnosed MGMT (Tumor O-6-Methylguanine DNA Methyltransferase) Unmethylated Glioblastoma
<u>N0577</u>	(Glen Oak, RT 91, and UPHM) Phase III Intergroup Study of Radiotherapy with Concomitant and Adjuvant Temozolomide versus Radiotherapy with Adjuvant PCV Chemotherapy in Patients with 1p/19q Co-deleted Anaplastic Glioma or Low Grade Glioma
BRAIN METS	
<u>A071801</u>	(UPHM & Glen Oak) Phase III Trial of Post-Surgical Single Fraction Stereotactic Radiosurgery (SRS) Compared With Fractionated SRS for Resected Metastatic Brain Disease

<u>CCTG CE.7</u>	(UPHM & Glen Oak)- A Phase III Trial of Stereotactic Radiosurgery Compared with Whole Brain Radiotherapy (WBRT) for 5-15 Brain Metastases
BREAST	
<u>A011202</u>	<i>Temporarily Closed</i> (Glen Oak, Rt 91, UPHM, Galesburg) A Randomized Phase III Trial Evaluating the Role of Axillary Lymph Node Dissection in breast Cancer Patients (cT1-3 N1) Who Have Positive Lymph Node Disease After Neoadjuvant Chemotherapy.
<u>BR007</u>	(Galesburg, Glen Oak, Rt 91, UPHM) Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurrence Score Less Than or Equal to 18 Breast Cancer
<u>MA.39</u>	(Glen Oak and UPHM) Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer
ESOPHAGEAL/GASTRIC	
<u>EA2174</u>	(Glen Oak, UPHM, Galesburg) A Phase II/III Study of Peri-Operative Nivolumab and Ipilimumab in Patients With Locoregional Esophageal and Gastroesophageal Junction Adenocarcinoma
HEAD & NECK	
<u>EA3161</u>	(Glen Oak, UPH, Galeburg) A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC
<u>HN005</u>	(UPHM, Galesburg, Glen Oak) A Randomized Phase II/III Trial of De-Intensified Radiation Therapy for Patients With Early-Stage, P16-Positive, Non-Smoking Associated Oropharyngeal Cancer
<u>HN009</u>	NEW! (RT at UPHM) Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m ²) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m ²) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)
HODGKIN'S LYMPHOMA	
<u>S1826</u>	(Glen Oak, Rt-91, UPHM) A Phase III, Randomized Study of Nivolumab (Opdivo) Plus AVD or Brentuximab Vedotin (Adcetris) Plus AVD in Patients (Age >= 12 Years) With Newly Diagnosed Advanced Stage Classical Hodgkin Lymphoma
MERKEL CELL	
<u>EA6174</u>	(UPHM and Galesburg) A Phase III Randomized Trial Comparing Adjuvant MK3475 (Pembrolizumab) to Standard of Care Observation in Completely Resected Merkel Cell Carcinoma

NSCLC	
<u>EA5181</u>	(UPHM and Galesburg) Randomized Phase III Trial of MEDI4736 (Durvalumab) as Concurrent and Consolidative Therapy or Consolidative Therapy Alone for Unresectable Stage 3 NSCLC (credentialing pending at Glen Oak)
<u>S1914</u>	(Glen Oak, UPHM, Galesburg) Randomized Phase III Trial of Induction/Consolidation Atezolizumab (NSC #783608) + SBRT Versus SBRT Alone in High Risk, Early Stage NSCLC
PROSTATE	
<u>GU005</u>	(RT at Glen Oak & UPHM) -Phase II IGRT and SBRT vs. IGRT and hypofractionate IMRT for Localized Intermediate Risk Prostate Cancer.
<u>GU008</u>	(RT at Glen Oak, UPHM; pending @ Galesburg) Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging Into Treatment for Patients With Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE): <i>Intensifying Treatment for Node Positive Prostate Cancer by Varying the Hormonal Therapy</i>
<u>GU009</u>	(RT at Glen Oak, Galesburg, UPHM) Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De-Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk With Radiation (PREDICT-RT*)
<u>GU010</u>	(RT at UPHM) Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification and Intensification Clinical Trial Evaluation (GUIDANCE)
<u>GU011</u>	(RT at Glen Oak & UPHM) A Phase II Double-Blinded, Placebo-Controlled Trial of PROstate OligoMETastatic RadiothERapy With or Without ANDrogen Deprivation Therapy in Oligometastatic Prostate Cancer (NRG Promethean)
<u>S1802</u>	(Glen Oak & UPHM) Phase III Randomized Trial of Standard Systemic Therapy (SST) versus Standard Systemic Therapy Plus Definitive Treatment (Surgery or Radiation) of the Primary Tumor in Metastatic Prostate Cancer
<u>WF-1802</u>	(Glen Oak, Rt-91, UPHM, Galesburg) Influence of Primary Treatment for Prostate Cancer on Work Experience (PCW)
SCLC	

<u>NRG CC003</u>	(Glen Oak only) Randomized Phase II/III Trial of Prophylactic Cranial Irradiation with or without Hippocampal Avoidance for Small Cell Lung Cancer
<u>NRG CC009</u>	(Glen Oak) - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer
<u>LU005</u>	(Glen Oak, UPHM and Galesburg) Limited Stage Small Cell Lung Cancer (LS-SCLC): A Phase II/III Randomized Study of Chemoradiation Versus Chemoradiation Plus Atezolizumab
<u>LU007 / RAPTOR</u>	(Glen Oak, UPHM, Galesburg) – Randomized Phase II/III Trial of Consolidation RT + Immunotherapy for ES-SCLC
<u>S1827</u>	(Glen Oak, UPHM, Galesburg) A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer

SMALL CELL LUNG CANCER

Navigator - Ashton x3611

<u>NRG CC003</u>	(RT at Glen Oak only) Randomized Phase II/III Trial of Prophylactic Cranial Irradiation with or without Hippocampal Avoidance for Small Cell Lung Cancer
<u>NRG CC009</u>	(RT at Glen Oak; pending at Galesburg) - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer
<u>GO43104</u>	(Peoria, Bloomington, Galesburg, Ottawa, Pekin, Peru, Washington) A Phase III, Randomized, Open-Label, Multicenter Study of Lurbinectedin In Combination With Atezolizumab Compared With Atezolizumab As Maintenance Therapy In Participants With Extensive-Stage Small-Cell Lung Cancer (ES-SCLC) Following First-Line Induction Therapy With Carboplatin, Etoposide and Atezolizumab
<u>LU005</u>	(RT at Glen Oak, UPHM and Galesburg) Limited Stage Small Cell Lung Cancer (LS-SCLC): A Phase II/III Randomized Study of Chemoradiation Versus Chemoradiation Plus Atezolizumab
<u>LU007 / RAPTOR</u>	(RT at Glen Oak, UPHM, Galesburg) – Randomized Phase II/III Trial of Consolidation RT + Immunotherapy for ES-SCLC
<u>S1827</u>	(RT at Glen Oak, UPHM, Galesburg) A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer
<u>S1929</u>	Phase II Randomized Study of Maintenance Atezolizumab Versus Atezolizumab in Combination With Talazoparib in Patients With SLFN11 Positive Extensive Stage Small Cell Lung Cancer (ES-SCLC) <i>Tissue screening allowed during induction chemotherapy</i>



ILLINOIS
CANCERCARE, P.C.
Specializing in Cancer and Blood Disorders

MASTER TRIAL LIST

APRIL 2022



MENU

VULVA

Navigator - Angie x3613