

# MASTER TRIAL LIST

SEPTEMBER 2024

**SCHEMA Buttons Are Inactive**



New or ReOpened Trials



No Trials Currently Available

**JUST IN TIME TRIALS (JIT)**

AML

ANAL

ALL

APL

BILIARY

BLADDER-UROTHELIAL

BRAIN

BREAST/ GYN

CANCER CONTROL /  
SURVIVORSHIP

CLL

CML

COLON-RECTAL

ESOPHAGEAL - GASTRIC

HEAD & NECK

LYMPHOMA

MDS/MPN

MELANOMA

MERKEL

MOLECULAR STUDIES

MULTIPLE MYELOMA

NEUROENDOCRINE

NSCLC

PANCREATIC

PROSTATE

RADIATION TRIALS

RENAL CELL

SARCOMA

SMALL CELL LUNG CANCER

Updated 9.13.24

**RADIATION LOCATIONS:**

OSF Glen Oak - OSF main hospital

OSF Route 91 (attached to Illinois CancerCare)

Carle Health Greater Peoria)

SJMC - St Joseph Medical Center



**JUST IN TIME (JIT) TRIALS**

\*Contact Disease Specific Navigator

**Multi-Disease Site: Advanced/Metastatic Solid Tumors**

<a href="#"><u>EAY191- (Combomatch) E5</u></a>	A Randomized Phase II Study of AMG 510 (Sotorasib) With or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<a href="#"><u>EAY191 - (Combomatch) N5</u></a>	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination With Palbociclib, a CDK4/6 Inhibitor, in Patients With HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
<a href="#"><u>EAY191 (Combomatch) - S3</u></a>	A Phase II Study of Paclitaxel + Ipatasertib In Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors)
<a href="#"><u>RAIN-3202</u></a>	A Phase 2 Basket Study of Milademetan in Advanced/Metastatic Solid Tumors

**ALL**

<a href="#"><u>EA9213</u></a>	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia (T-ALL)
-------------------------------	--

**AL Amyloidosis**

<a href="#"><u>S2213</u></a>	A Phase III, Randomized Study of Daratumumab, Cyclophosphamide, Bortezomib and Dexamethasone (Dara-VCD) Induction Followed by Autologous Stem Cell Transplant or Dara-VCD Consolidation and Daratumumab Maintenance in Patients With Newly Diagnosed AL Amyloidosis
------------------------------	---

**Biliary**

<a href="#"><u>EAY191 (ComboMatch) -A6</u></a>	FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial
--	---

**Breast**

<a href="#"><u>EAY191 (Combomatch) - N2</u></a>	<i>Molecular Analysis for combination Therapy Choice</i> ( <b>SUBSTUDY- N2</b> : Phase II Trial of Fulvestrant and Binimetinib in Patients With Hormone Receptor-Positive Metastatic Breast Cancer With A Frameshift or Nonsense Mutation or Genomic Deletion in NF1)
---	---

**Gynecological**

<a href="#"><u>GY026</u></a>	A Phase II/III Study of Paclitaxel/Carboplatin Alone or Combined With Either Trastuzumab and Hyaluronidase-Oysk (HERCEPTIN HYLECTA) or Pertuzumab, Trastuzumab, and Hyaluronidase-Zzxf (PHESGO) in HER2 Positive, Stage I-IV Endometrial Serous Carcinoma or Carcinosarcoma <i>(temporarily closed for stage I-II for interim analysis)</i>
<b>Genitourinary - Rare</b>	
<a href="#"><u>A031702</u></a>	Phase II Study of Cabozantinib in Combination with Nivolumab and Ipilimumab in Rare Genitourinary Tumors <i>Enrolling cohorts: renal collecting duct, bladder plasmacytoid, sarcomatoid bladder, urethral carcinoma (which allows any histology urothelial, squamous, clear cell, or adenocarcinoma), and Bone only (which allows for any GU histology, except prostate).</i>
<b>Head &amp; Neck</b>	
<a href="#"><u>EA3191</u></a>	A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma With High Risk Features
<a href="#"><u>EA3211</u></a>	Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma
<a href="#"><u>HN010</u></a>	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naive, Unresectable HER2-Positive Salivary Gland Cancer
<b>Liposarcoma</b>	
<a href="#"><u>A092107</u></a>	A Randomized Phase 2 Trial With a Safety Lead-In to Evaluate Palbociclib Versus Palbociclib and Cemiplimab for the Treatment of Advanced Dedifferentiated Liposarcoma
<b>Melanoma</b>	
<a href="#"><u>A091903</u></a>	A Randomized Phase II Trial of Adjuvant Nivolumab With or Without Cabozantinib in Patients With Resected Mucosal Melanoma
<b>Multiple Myeloma</b>	
<a href="#"><u>A062102</u></a> <small>SCHEMA</small>	Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecaptagene Vicleucel CAR-T in Multiple Myeloma Patients
<a href="#"><u>EAA173</u></a> <small>SCHEMA</small>	Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)

<p><b><u>S2209</u></b></p> <p><b>SCHEMA</b></p>	<p>A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance</p>
<p><b>Neuroendocrine</b></p>	
<p><b><u>S2104</u></b></p>	<p>Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors</p>
<p><b>Pancreas</b></p>	
<p><b><u>A022106</u></b></p>	<p>Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)</p>
<p><b><u>S2104</u></b></p>	<p>Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors</p>
<p><b>Rectal</b></p>	
<p><b><u>EA2201</u></b></p>	<p><b>Temporarily Closed (RT at Glen Oak, UPHM)</b> A Phase II Study of Neoadjuvant Nivolumab Plus Ipilimumab and Short-Course Radiation in MSI-H/dMMR Locally Advanced Rectal Adenocarcinoma</p>
<p><b>Thyroid</b></p>	
<p><b><u>EA3231</u></b></p>	<p><b>NEW!</b> A Randomized Phase III Study of BRAF-Targeted Therapy vs Cabozantinib in RAI-Refractory Differentiated Thyroid Cancer with BRAF V600Em</p>



# MASTER TRIAL LIST

SEPTEMBER 2024



## AML

Navigator - Heather x3661

MM1YA-S01

SCHEMA

A Randomized Phase II Study Comparing Cytarabine + Daunorubicin (7 + 3) to (Daunorubicin and Cytarabine) Liposome, Cytarabine + Daunorubicin + Venetoclax, and Azacitidine + Venetoclax in Patients Aged 59 or Younger With High-Risk (Adverse) Acute Myeloid Leukemia; **A MYELOMATCH Clinical Trial**



ILLINOIS  
CANCERCARE, P.C.

*Specializing in Cancer and Blood Disorders*

# MASTER TRIAL LIST

SEPTEMBER 2024



MENU

*ANAL*

Navigator - Carrie x3621

[EA2176](#)

**Closing 9.23.24** | A Randomized Phase III Study of Immune Checkpoint Inhibition With Chemotherapy in Treatment-Naive Metastatic Anal Cancer Patients



ILLINOIS  
CANCERCARE, P.C.

*Specializing in Cancer and Blood Disorders*

# MASTER TRIAL LIST

SEPTEMBER 2024

[MENU](#)

*APL*

Navigator - Heather x3661

*There are no trials available at this time*



# MASTER TRIAL LIST

SEPTEMBER 2024



## ACUTE LYMPHOBLASTIC LEUKEMIA

Navigator - Heather x3661

[EA9213 - JIT Trial](#)

A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia (T-ALL)





# MASTER TRIAL LIST

SEPTEMBER 2024



## BILIARY

Navigator - Carrie x3621

[EAY191 \(ComboMatch\) -A3](#)

SCHEMA

Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial *(cohort for pancreatic cancer temporarily closed)*

[EAY191 \(ComboMatch\) -A6](#)

[\(JIT\)](#)

FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial



# MASTER TRIAL LIST

SEPTEMBER 2024



## BLADDER / UROTHELIAL

Navigator - Carrie x3621

### ADJUVANT / NEOADJUVANT

**A032103**

SCHEMA

An Integrated Phase 2/3 and Phase 3 Trial of MRD-Based Optimization of Adjuvant Therapy in Urothelial Cancer (MODERN)

### METASTATIC

*no trial available at this time*



# MASTER TRIAL LIST

SEPTEMBER 2024



**BRAIN**

Navigator - Carrie x3621

<p><u><b>A071702</b></u> SCHEMA</p>	<p><b>Temporarily Suspended</b> A Phase II Study of Checkpoint Blockade Immunotherapy in Patients With Somaticly Hypermutated Recurrent WHO Grade 4 Glioma</p>
<p><u><b>BN010</b></u> SCHEMA</p>	<p><b>Temporarily Closed (RT pending at Carle and OSF)</b> A Safety Run-In and Phase II Study Evaluating the Efficacy, Safety, and Impact on the Tumor Microenvironment of the Combination of Tocilizumab, Atezolizumab, and Fractionated Stereotactic Radiotherapy in Recurrent Glioblastoma</p>
<p><u><b>BN011</b></u> SCHEMA</p>	<p><b>(RT at SJMC, Glen Oak)</b> A Phase III Trial of Gleostine® (Lomustine)-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients With Methylated MGMT Promoter Glioblastoma</p>



**BREAST**

Navigator - Angie x3613

**DCIS**

No trials at this time

**NEO/ADJUVANT TREATMENT**

S1706\*

**Not Actively Screening - Contact Navigator** - A Phase II Randomized Trial of Olaparib (NSC-747856) Administered Concurrently with Radiotherapy versus Radiotherapy Alone for Inflammatory Breast Cancer (All biomarker subgroups eligible) | \*JIT TRIAL - expect 1 week delay to consent pt

**Neo/Adjuvant - HER2 Positive**

A011801

The CompassHER2 Trials (Comprehensive Use of Pathologic Response Assessment to Optimize Therapy in HER2-Positive Breast Cancer) CompassHER2 Residual Disease (RD), a Double-Blinded, Phase III Randomized Trial of T-DM1 Compared With T-DM1 and Tucatinib

**Neo/Adjuvant - Hormone Receptor Positive / HER2 Negative**

BR007

SCHEMA

(RT at Glen Oak, Rt 91, Carle, SJMC) Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurrence Score Less Than or Equal to 18 Breast Cancer

BR009

SCHEMA

A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients With pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score Less Than or Equal to 25 (OFSET)

J2J-MC-JZLH / EMBER-4

SCHEMA

(Peoria, Bloomington, Galesburg, Pekin, Washington, Ottawa, Peru) A Randomized, Open-Label, Phase 3 Study of Adjuvant Imlunestrant vs Standard Adjuvant Endocrine Therapy in Patients Who Have Previously Received 2 to 5 Years of Adjuvant Endocrine Therapy for ER+, HER2- Early Breast Cancer With an Increased Risk of Recurrence

S2206

SCHEMA

Phase III Trial of Neoadjuvant Durvalumab (NSC 778709) Plus Chemotherapy Versus Chemotherapy Alone for MammaPrint Ultrahigh (MP2) Hormone Receptor (HR) Positive / Human Epidermal Growth Factor Receptor (HER2) Negative Stage II-III Breast Cancer

**Neo/Adjuvant - Triple Negative**

A012103

SCHEMA

OptimICE-PCR: De-Escalation of Therapy in Early-Stage TNBC Patients Who Achieve pCR After Neoadjuvant Chemotherapy With Checkpoint Inhibitor Therapy

<a href="#"><u>01-PS-001/ NeXT</u></a>	<b>COMING SOON!</b> (sites TBD) Minimal/Molecular Residual Disease Detection and Therapy Monitoring in Patients with Early Stage TNBC-Phase I (B-STRONGER-I)
<a href="#"><u>S2212 / SCARLET</u></a> <a href="#"><u>SCHEMA</u></a>	Shorter Anthracycline-Free Chemo Immunotherapy Adapted to Pathological Response in Early Triple Negative Breast Cancer (SCARLET), A Randomized Phase III Study
<b>METASTATIC TREATMENT</b>	
<a href="#"><u>EAY191 (Combomatch) - E4</u></a> <a href="#"><u>SCHEMA</u></a>	<b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b> : Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors
<b>Metastatic - HER2 Positive</b> <i>(no trials at this time)</i>	
<b>Metastatic - Hormone Receptor Positive / HER2 Negative</b>	
<a href="#"><u>EAY191 (Combomatch) - N2 (JIT)</u></a>	<i>Molecular Analysis for combination Therapy Choice</i> ( <b>SUBSTUDY- N2</b> : Phase II Trial of Fulvestrant and Binimetinib in Patients With Hormone Receptor-Positive Metastatic Breast Cancer With A Frameshift or Nonsense Mutation or Genomic Deletion in NF1)
<a href="#"><u>S1703</u></a>	Randomized Non-Inferiority Trial Comparing Overall Survival of Patients Monitored with Serum Tumor Marker Directed Disease Monitoring (STMDDM) Versus Usual Care in Patients with Metastatic Hormone Receptor Positive HER-2 Negative Breast Cancer
<a href="#"><u>S2007</u></a>	<b>Not Actively Screening - contact Navigator</b> - A Phase II Trial of Sacituzumab Govitecan (IMMU-132) (NSC #820016) for Patients With HER2-Negative Breast Cancer and Brain Metastases
<b>Metastatic - Triple Negative</b> <i>(no trials at this time)</i>	
<b>SURGERY / RADIATION ONLY</b>	
<a href="#"><u>MA.39</u></a>	Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer ( <i>RT: Glen Oak and Carle</i> )
<b>CANCER CONTROL (Breast only)</b>	
<a href="#"><u>A211901</u></a> <a href="#"><u>SCHEMA</u></a>	<b>Not Actively Screening - Contact Navigator</b>   Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
<a href="#"><u>CC011</u></a> <a href="#"><u>SCHEMA</u></a>	Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi-Center Randomized Double-Blinded Controlled Trial
<a href="#"><u>S2010</u></a> <a href="#"><u>SCHEMA</u></a>	A Randomized Phase III Trial Comparing Active Symptom Monitoring Plus Patient Education Versus Patient Education Alone to Improve Persistence With Endocrine Therapy in Young Women With Stage I-III Breast Cancer (ASPEN)

<p><b><u>S2108CD</u></b> SCHEMA</p>	<p><b>(Peoria, Bloomington, Galesburg, Canton, Ottawa, Pekin)</b> A Cluster Randomized Trial Comparing an Educationally Enhanced Genomic Tumor Board (EGTB) Intervention to Usual Practice to Increase Evidence-Based Genome-Informed Therapy</p>
<p><b><u>S1912CD</u></b> SCHEMA</p>	<p><b>Not Actively Screening - Contact Navigator</b>   A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT) <i>(spouse participation no longer required)</i></p>
<p><b><u>S2013</u></b> SCHEMA</p>	<p><b>Temporarily Closed (Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (<b>I-CHECKIT</b>)</p>
<p><b><u>URCC-18007</u></b></p>	<p>Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue- <i>at least 2 months out from surgery/tx/radiation</i></p>
<p><b><u>URCC 19185</u></b> SCHEMA</p>	<p><b>(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington)</b> Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (<b>BBT-CI</b>) and Healthy Eating Education Learning (<b>HEAL</b>)</p>
<p><b><u>URCC 21038</u></b> SCHEMA</p>	<p><b>(Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting <i>(limited enrollment remaining for caucasian pts - contact CRC to confirm availability)</i></p>
<p><b><u>WF-1901</u></b> SCHEMA</p>	<p>Internet-delivered Management of Pain Among Cancer Treatment Survivors (<b>IMPACTS</b>)</p>
<p><b><u>WF-2202</u></b> SCHEMA</p>	<p>Optimizing Psychosocial Intervention for Breast Cancer-Related Sexual Morbidity:The Sexual Health and Intimacy Education (SHINE) Trial <i>(temporarily closing to non-hispanic white participants on 8.22.24)</i></p>
<p><b>GYNECOLOGICAL</b></p>	
<p><b>Navigator - Angie x3613</b></p>	
<p><b><u>NRG - GY023</u></b> SCHEMA</p>	<p><b>Temporarily Closed</b> A Randomized Phase II Trial of Triplet Therapy (a PD-L1 Inhibitor (Durvalumab) MEDI4736 in Combination With Olaparib and Cediranib) Compared to Olaparib and Cediranib or (Durvalumab) MEDI4736 and Cediranib or Standard of Care Chemotherapy in Women With Platinum-Resistant Recurrent Epithelial Ovarian Cancer, Primary Peritoneal or Fallopian Cancer Who Have Received Prior Bevacizumab</p>
<p><b><u>EAY191 (ComboMATCH) - A3</u></b> SCHEMA</p>	<p>Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial <i>(cohort for pancreatic cancer temporarily closed)</i></p>
<p><b><u>EAY191 (ComboMATCH) - N4</u></b></p>	<p><i>Molecular Analysis for combination Therapy Choice</i> (<b>SUBSTUDY- N4</b>: A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers)</p>



## CANCER CONTROL

### SURVIVORSHIP

<a href="#"><u>CC011</u></a> SCHEMA	Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi-Center Randomized Double-Blinded Controlled Trial
<a href="#"><u>EAQ211</u></a> SCHEMA	Social Genomic Mechanisms of Health Disparities Among Adolescent and Young Adult (AYA) Survivors of Hodgkin and Non-Hodgkin Lymphoma
<a href="#"><u>URCC-18007</u></a>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - <i>at least 2 months out from surgery/tx/radiation</i>
<a href="#"><u>WF-1901</u></a> SCHEMA	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)
<a href="#"><u>WF-2202</u></a> SCHEMA	Optimizing Psychosocial Intervention for Breast Cancer-Related Sexual Morbidity: The Sexual Health and Intimacy Education (SHINE) Trial <i>(temporarily closing to non-hispanic white participants on 8.22.24)</i>

### MULTI-DISEASE SITES

<a href="#"><u>A211901</u></a> SCHEMA	<b>Not Actively Screening - Contact Navigator</b>   Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions
<a href="#"><u>EAQ202</u></a> SCHEMA	<b>Temporarily Closed</b>   Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials <i>(breast, leukemia, lymphoma, and white non-hispanic cohorts closed to accrual)</i>
<a href="#"><u>S1912CD</u></a> SCHEMA	<b>Not Actively Screening - Contact Navigator</b>   A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT) <i>(spouse participation no longer required)</i>
<a href="#"><u>S2013</u></a> SCHEMA	<b>Temporarily Closed (Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT)
<a href="#"><u>S2108CD</u></a> SCHEMA	<b>(Peoria, Bloomington, Galesburg, Canton, Ottawa, Pekin)</b> A Cluster Randomized Trial Comparing an Educationally Enhanced Genomic Tumor Board (EGTB) Intervention to Usual Practice to Increase Evidence-Based Genome-Informed Therapy
<a href="#"><u>URCC-18007</u></a>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - <i>at least 2 months out from surgery/tx/radiation</i>
<a href="#"><u>URCC 19185</u></a> SCHEMA	<b>(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington)</b> Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)
<a href="#"><u>URCC 21038</u></a> SCHEMA	<b>(Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting <i>(limited enrollment remaining for caucasian pts - contact CRC to confirm availability)</i>

<a href="#"><u>URCC 22063</u></a> SCHEMA	Longitudinal Observational Trial to Uncover Subtypes of Cancer Cachexia
<a href="#"><u>WF-1901</u></a> SCHEMA	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)
<b>BREAST</b>	
<a href="#"><u>CC011</u></a> SCHEMA	Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi-Center Randomized Double-Blinded Controlled Trial
<a href="#"><u>S2010</u></a> SCHEMA	A Randomized Phase III Trial Comparing Active Symptom Monitoring Plus Patient Education Versus Patient Education Alone to Improve Persistence With Endocrine Therapy in Young Women With Stage I-III Breast Cancer (ASPEN)
<a href="#"><u>WF-2202</u></a> SCHEMA	Optimizing Psychosocial Intervention for Breast Cancer-Related Sexual Morbidity: The Sexual Health and Intimacy Education (SHINE) Trial <i>(temporarily closing to non-hispanic white participants on 8.22.24)</i>
<b>LYMPHOMA</b>	
<a href="#"><u>EAQ211</u></a> SCHEMA	Social Genomic Mechanisms of Health Disparities Among Adolescent and Young Adult (AYA) Survivors of Hodgkin and Non-Hodgkin Lymphoma
<b>REGISTRY</b>	
<b>*Contact Disease Specific Navigator</b>	
<a href="#"><u>PRECEDE</u></a>	The Pancreatic Cancer Early Detection Consortium
<a href="#"><u>TP-CA-007 ARIES</u></a>	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology <i>(currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)</i>





# MASTER TRIAL LIST

SEPTEMBER 2024



**CLL**

Navigator - Heather x3661

***1st Line***

<p><b><u>BGB-11417-301</u></b></p> <p><small>SCHEMA</small></p>	<p><b>(Peoria, Bloomington, Galesburg, Pekin, Peru, Ottawa, Washington)</b> A Phase 3, Open-Label, Randomized Study of Sonrotoclax (BGB-11417) Plus Zanubrutinib (BGB-3111) Compared With Venetoclax Plus Obinutuzumab in Patients With Previously Untreated Chronic Lymphocytic Leukemia</p>
---	---

***2nd Line, 3rd Line, etc.***

<p><b><u>APG2575CG301</u></b></p>	<p><b>COMING SOON!</b> (sites TBD) A Global Multicenter, Open Label, Randomized Phase 3 Registrational Study of Lisaftoclax (APG-2575) in Previously Treated Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (GLORA Study)</p>
-----------------------------------	--



# MASTER TRIAL LIST

SEPTEMBER 2024



*CML*

Navigator - Heather x3661

*no trials at this time*



# MASTER TRIAL LIST

SEPTEMBER 2024



## COLON / RECTAL

Navigator - Carrie x3621

### Adjuvant

<p><b>A022004</b> <small>SCHEMA</small></p>	<p>Randomized Trial of Consolidation Targeted Adjuvant Therapy With Encorafenib and Cetuximab Versus Usual Care for Patients With Stage II/III BRAF V600E Colon Cancer</p>
<p><b>C-14</b></p>	<p><b>(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington)</b> Second Colorectal Cancer Clinical Validation Study to Predict Recurrence Using A Circulating Tumor DNA Assay To Detect Minimal Residual Disease (<b>CORRECT-MRD II</b>)</p>
<p><b>EA2201 - JIT</b></p>	<p><b>Temporarily Closed (RT at Glen Oak, Carle)</b> A Phase II Study of Neoadjuvant Nivolumab Plus Ipilimumab and Short-Course Radiation in MSI-H/dMMR Locally Advanced Rectal Adenocarcinoma</p>
<p><b>GI008</b> <small>SCHEMA</small></p>	<p>Colon Adjuvant Chemotherapy Based on Evaluation of Residual Disease</p>

### Metastatic

<p><b>S2107</b> <small>SCHEMA</small></p>	<p>Randomized Phase II Trial of Encorafenib and Cetuximab With or Without Nivolumab (NSC #748726) for Patients With Previously Treated, Microsatellite Stable, BRAFV600E Metastatic and/or Unresectable Colorectal Cancer</p>
---	---

### CANCER CONTROL (Colorectal only)

<p><b>A211901</b> <small>SCHEMA</small></p>	<p><b><u>Not Actively Screening - Contact Navigator</u></b>   Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions</p>
---	--

<p><a href="#"><u>EAQ202</u></a></p> <p><small>SCHEMA</small></p>	<p><b>Temporarily Closed</b>   Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials (<i>breast, leukemia, lymphoma, and white non-hispanic cohorts closed to accrual</i>)</p>
<p><a href="#"><u>S1912CD</u></a></p> <p><small>SCHEMA</small></p>	<p><b><u>Not Actively Screening - Contact Navigator</u></b>   A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (CREDIT) (<i>spouse participation no longer required</i>)</p>
<p><a href="#"><u>S2013</u></a></p> <p><small>SCHEMA</small></p>	<p><b>Temporarily Closed (Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (<b>I-CHECKIT</b>)</p>
<p><a href="#"><u>S2108CD</u></a></p> <p><small>SCHEMA</small></p>	<p><b>(Peoria, Bloomington, Galesburg, Canton, Ottawa, Pekin)</b> A Cluster Randomized Trial Comparing an Educationally Enhanced Genomic Tumor Board (EGTB) Intervention to Usual Practice to Increase Evidence-Based Genome-Informed Therapy</p>
<p><a href="#"><u>TP-CA-007 ARIES</u></a></p>	<p>TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (<i>currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts</i>)</p>
<p><a href="#"><u>URCC-18007</u></a></p>	<p>Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - <i>at least 2 months out from surgery/tx/radiation</i></p>
<p><a href="#"><u>URCC 19185</u></a></p> <p><small>SCHEMA</small></p>	<p><b>(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington)</b> Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)</p>
<p><a href="#"><u>URCC 21038</u></a></p> <p><small>SCHEMA</small></p>	<p><b>(Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting (<i>limited enrollment remaining for caucasian pts - contact CRC to confirm availability</i>)</p>

**URCC 22063**

**SCHEMA**

Longitudinal Observational Trial to Uncover Subtypes of Cancer Cachexia

**WF-1901**

**SCHEMA**

Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)



# MASTER TRIAL LIST

SEPTEMBER 2024



## ESOPHAGEAL- GASTRIC

Navigator - Carrie x3621

<p><a href="#">A022102</a> SCHEMA</p>	<p>Randomized Phase III Trial of mFOLFIRINOX vs. FOLFOX With Nivolumab for First-Line Treatment of Metastatic HER2- Gastroesophageal Adenocarcinoma</p>
<p><a href="#">EAY191 (Combomatch) - E4</a> SCHEMA</p>	<p><b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b>: Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors</p>
<p><a href="#">EA2212</a> SCHEMA</p>	<p>A Randomized Phase II Study of Perioperative Atezolizumab +/- Chemotherapy in Resectable MSI-H/dMMR Gastric and Gastroesophageal Junction (GEJ) Cancer</p>
<p><a href="#">S2303</a> SCHEMA</p>	<p>Randomized Phase II/III Trial of 2nd Line Nivolumab + Paclitaxel + Ramucirumab Versus Paclitaxel + Ramucirumab in Patients With PD-L1 CPS <math>\geq</math> 1 Advanced Gastric and Esophageal Adenocarcinoma (PARAMMUNE)</p>

## HEAD & NECK

Navigator - Ashton x3611

<p><a href="#"><u>EA3161</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>Temporarily Closed</b>   (RT at Glen Oak, Carle) A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC</p>
<p><a href="#"><u>EA3191 - JIT</u></a></p>	<p>A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma With High Risk Features</p>
<p><a href="#"><u>EA3211 - JIT</u></a></p>	<p>Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma</p>
<p><a href="#"><u>EAY191 (Combomatch) - E4</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b>: Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors</p>
<p><a href="#"><u>HN005</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>Temporarily Closed (RT at Glen Oak; Carle)</b> A Randomized Phase II/III Trial of De-Intensified Radiation Therapy for Patients With Early-Stage, P16-Positive, Non-Smoking Associated Oropharyngeal Cancer</p>
<p><a href="#"><u>HN009</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>(RT at Carle and SJMC)</b> Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m<sup>2</sup>) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m<sup>2</sup>) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)</p>
<p><a href="#"><u>HN010 - JIT</u></a></p>	<p>A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naive, Unresectable HER2-Positive Salivary Gland Cancer</p>

S2101

SCHEMA

**Temporarily Closed** | Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Patients With Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study



## LYMPHOMA

### HL

No HL trials at this time

### NHL

<p><b><u>GO44145</u></b></p> <p>SCHEMA</p>	<p><b>(Peoria only)</b>   A Phase III, Multicenter, Randomized, Open-Label Study Comparing the Efficacy and Safety of Glofitamab (RO7082859) in Combination With Polatuzumab Vedotin Plus Rituximab, Cyclophosphamide, Doxorubicin, and Prednisone (Pola-R-CHP) Versus Pola-R-CHP in Previously Untreated Patients With Large B-Cell Lymphoma</p>
<p><b><u>M22-003</u></b></p> <p>SCHEMA</p>	<p><b>(Peoria only - other clinic sites pending)</b> A Phase 3, Multicenter, Randomized, Open-Label Trial to Evaluate the Safety and Efficacy of Epcoritamab + Rituximab and Lenalidomide (R2) Compared to Chemoimmunotherapy in Previously Untreated Follicular Lymphoma (EPCORE™FL-2)</p>
<p><b><u>S2308</u></b></p> <p>SCHEMA</p>	<p><b>NEW!</b> Randomized Phase III Study of Mosunetuzumab vs Rituximab for Low Tumor Burden Follicular Lymphoma</p>



ILLINOIS  
CANCERCARE, P.C.

*Specializing in Cancer and Blood Disorders*

# MASTER TRIAL LIST

SEPTEMBER 2024



**MENU**

*MDS/MPN*

**Navigator - Heather x3661**

No trials at this time



# MASTER TRIAL LIST

SEPTEMBER 2024



## MELANOMA

Navigator - Carrie x3621

<p><a href="#"><u>A091903 - JIT Trial</u></a></p>	<p>A Randomized Phase II Trial of Adjuvant Nivolumab With or Without Cabozantinib in Patients With Resected Mucosal Melanoma</p>
<p><a href="#"><u>R3767-ONC-22122</u></a></p>	<p><b>COMING SOON!</b> (Peoria, Bloomington, Galesburg, Ottawa, Pekin, Peru, Washington) A Phase 3 Study of Fixed Dose Combinations of Fianlimab and Cemiplimab Versus Relatlimab and Nivolumab in Participants with Unresectable or Metastatic Melanoma.</p>
<p><a href="#"><u>S2101</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>Temporarily Closed</b>   Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Patients With Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study</p>



ILLINOIS  
CANCERCARE, P.C.  
*Specializing in Cancer and Blood Disorders;*

# MASTER TRIAL LIST

SEPTEMBER 2024



**MENU**

***MERKEL***

**Navigator - Carrie x3621**

*no trials at this time.*

# MASTER TRIAL LIST

SEPTEMBER 2024

MENU

## MOLECULAR STUDIES

[\\*Contact Disease Specific Navigator](#)

<a href="#">EAY191 - COMBOMATCH</a>	Targeted Therapy Directed by Genetic Testing in Treating Patients With Locally Advanced or Advanced Solid Tumors, The ComboMATCH Screening Trial ( <i>multiple substudies available</i> )
<a href="#">EAY191 (ComboMatch) -A3</a> <a href="#">SCHEMA</a>	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial ( <i>cohort for pancreatic cancer is temporarily closed</i> )
<a href="#">EAY191 (ComboMatch) -A6</a>	FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial
<a href="#">EAY191 (Combomatch) - E4</a> <a href="#">SCHEMA</a>	<b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b> : Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors
<a href="#">EAY191- (Combomatch) E5</a>	A Randomized Phase II Study of AMG 510 (Sotorasib) With or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial
<a href="#">EAY191 (Combomatch) - N2</a>	<i>Molecular Analysis for combination Therapy Choice</i> ( <b>SUBSTUDY- N2</b> : Phase II Trial of Fulvestrant and Binimetinib in Patients With Hormone Receptor-Positive Metastatic Breast Cancer With A Frameshift or Nonsense Mutation or Genomic Deletion in NF1)
<a href="#">EAY191 (ComboMATCH) - N4</a>	<i>Molecular Analysis for combination Therapy Choice</i> ( <b>SUBSTUDY- N4</b> : A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers)
<a href="#">EAY191 - (Combomatch) N5</a>	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination With Palbociclib, a CDK4/6 Inhibitor, in Patients With HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial
<a href="#">EAY191 (Combomatch) - S3</a>	A Phase II Study of Paclitaxel + Ipatasertib In Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors)
<a href="#">PRECEDE</a>	The Pancreatic Cancer Early Detection Consortium

<u><a href="#">TP-CA-003 (Sculptor)</a></u>	<b>(Peoria, Blm, Canton, Gburg, Ottawa, Pekin, Peru, Washington)</b> A Tissue and Longitudinal Circulating Tumor DNA (ctDNA) Biomarker Profiling Study of Patients with Small Cell Lung Cancer (SCLC) Using Comprehensive Next-Generation Sequencing (NGS) Assays (TEMPUS)
<u><a href="#">TP-CA-007 ARIES</a></u>	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology ( <i>currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts</i> )

# MASTER TRIAL LIST

SEPTEMBER 2024



## ***MULTIPLE MYELOMA***

Navigator - Heather x3661

<p><b><u>A062102 - JIT</u></b> SCHEMA</p>	<p>Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecaptogene Vicleucel CAR-T in Multiple Myeloma Patients</p>
<p><b><u>EAA173 - JIT</u></b> SCHEMA</p>	<p>Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)</p>
<p><b><u>S2209 - JIT</u></b> SCHEMA</p>	<p>A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance</p>

# MASTER TRIAL LIST

SEPTEMBER 2024



## NEUROENDOCRINE

Navigator - Carrie x3621

<a href="#"><u>A021804</u></a>	A Prospective, Multi-Institutional Phase II Trial Evaluating Temozolomide vs. Temozolomide and Olaparib for Advanced Pheochromocytoma and Paraganglioma
<a href="#"><u>S2104 - JIT Trial</u></a>	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors



**NSCLC**

Navigator - Ashton x3611

**ADJUVANT / NEOADJUVANT**

<p><b><u>A081801</u></b> SCHEMA</p>	<p><b><u>Actively Screening for TB only - Contact Navigator</u></b>   Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO (ACCIO)</p>
<p><b><u>LU008</u></b> SCHEMA</p>	<p><b>(RT at Carle, Glen Oak, SJMC, Rt 91)</b> Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally Advanced Non-Small Cell Lung Cancer</p>

**METASTATIC - 1st Line**

<p><b><u>EA5182</u></b> SCHEMA</p>	<p>Randomized Phase III Study of Combination AZD9291 (osimertinib) and Bevacizumab versus AZD9291 (osimertinib) Alone as First-Line Treatment for Patients with Metastatic EGFR-Mutant Non-Small Cell Lung Cancer (NSCLC)</p>
<p><b><u>MK-3475A-F84</u></b></p>	<p><b>COMING SOON!</b> A Phase 3 Randomized, Open-label Clinical Study to Evaluate the Pharmacokinetics and Safety of Subcutaneous Pembrolizumab Coformulated With Hyaluronidase (MK3475A) Versus Intravenous Pembrolizumab, in the First-line Treatment of Participants With Metastatic Non-small Cell Lung Cancer With PD-L1 TPS ≥50%</p>
<p><b><u>MK 7684A-003</u></b> SCHEMA</p>	<p><b>(Peoria only)</b> A Phase 3, Multicenter, Randomized, Double-Blind Study of MK-7684 with Pembrolizumab as a Coformulation (MK-7684A) Versus Pembrolizumab Monotherapy as First Line Treatment for Participants With PD-L1 Positive Metastatic Non-Small Cell Lung Cancer</p>

**METASTATIC - 2nd/3rd Line**

<p><b><u>EAY191</u></b> <b>(Combomatch) - E4</b> SCHEMA</p>	<p><b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b>: Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors</p>
<p><b><u>LUNGMAP</u></b></p>	<p>A Master Protocol To Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated NSCLC. <b>(SUB-STUDIES: <u>S1900E</u> - A Phase II Study of AMG 510 in Participants With Previously Treated Stage IV or Recurrent KRAS G12C Mutated Non-Squamous Non-Small Cell Lung Cancer - <u>cohorts are closed for pts with TP53 co-mutations or STK11 co-mutations</u> . ); <u>S1900G</u> - A Randomized Phase II Study of INC280 (Capmatinib) Plus Osimertinib With or Without Ramucirumab in Participants With EGFR-Mutant, MET-Amplified Stage IV or Recurrent Non-Small Cell Lung Cancer; <u>S1900K (NEW substudy!)</u> - A Randomized Phase II Study of Tepotinib with or without Ramucirumab in Participants with MET Exon 14 Skipping Positive Stage IV or Recurrent Non-Small Cell Lung Cancer</b></p>
<p><b><u>S2302 (Pragmatica)</u></b> SCHEMA</p>	<p>A Prospective Randomized Study of Ramucirumab (LY3009806; NSC 749128) Plus Pembrolizumab (MK-3475; NSC 776864) Versus Standard of Care for Participants Previously Treated With Immunotherapy for Stage IV or Recurrent Non-Small Cell Lung Cancer (<b>Pragmatica-Lung</b>)</p>

**CANCER CONTROL (NSCLC Only)**

<p><b><u>A211901</u></b> SCHEMA</p>	<p><b><u>Not Actively Screening - Contact Navigator</u></b>   Reaching Rural Cancer Survivors Who Smoke Using Text-Based Cessation Interventions</p>
<p><b><u>EAQ202</u></b> SCHEMA</p>	<p><b>Temporarily Closed</b>   Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials (<i>breast, leukemia, lymphoma, and white non-hispanic cohorts closed to accrual</i>)</p>
<p><b><u>S2108CD</u></b> SCHEMA</p>	<p><b>(Peoria, Bloomington, Galesburg, Canton, Ottawa, Pekin)</b> A Cluster Randomized Trial Comparing an Educationally Enhanced Genomic Tumor Board (EGTB) Intervention to Usual Practice to Increase Evidence-Based Genome-Informed Therapy</p>

<p><b><u>S1912CD</u></b></p> <p>SCHEMA</p>	<p><b><u>Not Actively Screening - Contact Navigator</u></b>   A Randomized Trial Addressing Cancer-Related Financial Hardship Through Delivery of a Proactive Financial Navigation Intervention (<b>CREDIT</b>) (<i>spouse participation no longer required</i>)</p>
<p><b><u>S2013</u></b></p> <p>SCHEMA</p>	<p><b>Temporarily Closed (Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (<b>I-CHECKIT</b>)</p>
<p><b><u>TP-CA-007 ARIES</u></b></p>	<p>TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (<i>currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts</i>)</p>
<p><b><u>URCC-18007</u></b></p>	<p>Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - <i>at least 2 months out from surgery/tx/radiation</i></p>
<p><b><u>URCC 19185</u></b></p> <p>SCHEMA</p>	<p><b>(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington)</b> Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)</p>
<p><b><u>URCC 21038</u></b></p> <p>SCHEMA</p>	<p><b>(Peoria, Bloomington, Galesburg, Pekin, Washington)</b> Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting (<i>limited enrollment remaining for caucasian pts - contact CRC to confirm availability</i>)</p>
<p><b><u>URCC 22063</u></b></p> <p>SCHEMA</p>	<p>Longitudinal Observational Trial to Uncover Subtypes of Cancer Cachexia</p>
<p><b><u>WF-1901</u></b></p> <p>SCHEMA</p>	<p>Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)</p>



# MASTER TRIAL LIST

SEPTEMBER 2024



## PANCREATIC

Navigator - Carrie x3621

<p><a href="#"><u>A022106 - JIT</u></a></p>	<p>Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)</p>
<p><a href="#"><u>EA2192</u></a></p> <p><a href="#">SCHEMA</a></p>	<p>A Randomized Phase II Double-Blind Study of Olaparib Versus Placebo Following Curative Intent Therapy in Patients With Resected Pancreatic Cancer and a Pathogenic BRCA1, BRCA2 or PALB2 Mutation (APOLLO)</p>
<p><a href="#"><u>EAY191 (ComboMATCH) - A3</u></a></p> <p><a href="#">SCHEMA</a></p>	<p>Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial <i>(cohort for pancreatic cancer is temporarily closed)</i></p>
<p><a href="#"><u>EAY191 (Combomatch) - E4</u></a></p>	<p><b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b>: Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors</p>
<p><a href="#"><u>S2001</u></a></p> <p><a href="#">SCHEMA</a></p>	<p>Randomized Phase II Clinical Trial of Olaparib + Pembrolizumab vs. Olaparib Alone as Maintenance Therapy in Metastatic Pancreatic Cancer Patients With Germline BRCA1 or BRCA2 Mutations</p>
<p><a href="#"><u>S2104 - JIT Trial</u></a></p>	<p>Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors</p>
<p><a href="#"><u>TP-CA-007 ARIES</u></a></p>	<p>TEMPUS ARIES: A Biobank Registry Platform Study in Oncology <i>(currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)</i></p>

**PROSTATE**

Navigator - Carrie x3621

**ADJUVANT**

<p><b><u>GU008</u></b></p> <p>SCHEMA</p>	<p><b>(RT at Glen Oak and Carle)</b> Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging Into Treatment for Patients With Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE): <i>Intensifying Treatment for Node Positive Prostate Cancer by Varying the Hormonal Therapy</i></p>
<p><b><u>GU009</u></b></p> <p>SCHEMA</p>	<p><b>(RT at Glen Oak, Carle, Rt 91)</b> Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De-Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk With Radiation (<b>PREDICT-RT*</b>) (<i>intensification cohort (groups 3 and 4) closed to accrual</i>)</p>
<p><b><u>GU010</u></b></p> <p>SCHEMA</p>	<p><b>(RT at Carle)</b> Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification and Intensification Clinical Trial Evaluation (GUIDANCE)</p>
<p><b><u>GU013</u></b></p> <p>SCHEMA</p>	<p><b>(RT credentialing pending)</b> The Phase III 'High Five Trial' Five Fraction Radiation for High-Risk Prostate Cancer</p>

**METASTATIC**

<p><b><u>EAY191 (Combomatch) - E4</u></b></p> <p>SCHEMA</p>	<p><b>Temporarily Closed</b>   A ComboMATCH Treatment Trial <b>E4</b>: Nilotinib and Paclitaxel in Patients With Prior Taxane-Treated Solid Tumors</p>
<p><b>MK5684-004</b></p>	<p><b>COMING SOON!</b> A Phase 3, Randomized, Open-label Study of MK-5684 Versus Alternative Abiraterone Acetate or Enzalutamide in Participants with Metastatic Castration-resistant Prostate Cancer (mCRPC) That Progressed On or After Prior Treatment with One Next-generation Hormonal Agent (NHA)</p>

# MASTER TRIAL LIST

SEPTEMBER 2024



## RENAL CELL

Navigator - Carrie x3621

<p><a href="#"><u>EA8211</u></a></p> <p><a href="#">SCHEMA</a></p>	<p><b>(RT at Rt 91, Glen Oak)</b> Phase III Randomized Trial of Stereotactic Ablative Radiotherapy (SAbR) for Oligometastatic Advanced Renal Carcinoma (SOAR)</p>
<p><a href="#"><u>S2200</u></a></p> <p><a href="#">SCHEMA</a></p>	<p>A Phase II Randomized Trial of Cabozantinib (NSC #761968) With or Without Atezolizumab (NSC #783608) in Patients With Advanced Papillary Renal Cell Carcinoma (PAPMET2)</p>

# MASTER TRIAL LIST

SEPTEMBER 2024

MENU

## RADIATION TRIALS

Navigator - Jessica x3615

BRAIN	
<a href="#"><u>BN011</u></a>	<b>(RT at SJMC, Rt 91)</b> A Phase III Trial of Gleostine® (Lomustine)-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients With Methylated MGMT Promoter Glioblastoma
BRAIN METS	
<a href="#"><u>BN010</u></a> <small>SCHEMA</small>	<b>Temporarily Closed (RT pending at Carle and OSF)</b> A Safety Run-In and Phase II Study Evaluating the Efficacy, Safety, and Impact on the Tumor Microenvironment of the Combination of Tocilizumab, Atezolizumab, and Fractionated Stereotactic Radiotherapy in Recurrent Glioblastoma
<a href="#"><u>BN012</u></a>	<b>(RT at Carle)</b> A Randomized Phase III Trial of Pre-Operative Compared to Post-Operative Stereotactic Radiosurgery in Patients with Resectable Brain Metastases
<a href="#"><u>CCTG CE.7</u></a>	<b>(Glen Oak, Carle)-</b> A Phase III Trial of Stereotactic Radiosurgery Compared with Whole Brain Radiotherapy (WBRT) for 5-15 Brain Metastases
<a href="#"><u>WF-2201</u></a>	<b>(Glen Oak; Pending at Rt 91)</b> - Hypofractionated Radiotherapy vs Single Fraction Radiosurgery For Brain Metastasis Patients On Immunotherapy ( <b>HYPOGRYPHE</b> )
BREAST	
<a href="#"><u>BR007</u></a> <small>SCHEMA</small>	<b>(Glen Oak, Rt 91, Carle, SJMC)</b> Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurrence Score Less Than or Equal to 18 Breast Cancer
<a href="#"><u>MA.39</u></a>	<b>(Glen Oak)</b> Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer
HEAD & NECK	
<a href="#"><u>EA3161</u></a> <small>SCHEMA</small>	<b>Temporarily Closed   (Glen Oak and Carle)</b> A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC

<u>EA3211 - JIT</u>	Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma
<u>HN005</u> <small>SCHEMA</small>	<b>Temporarily Closed (Glen Oak; Carle)</b> A Randomized Phase II/III Trial of De-Intensified Radiation Therapy for Patients With Early-Stage, P16-Positive, Non-Smoking Associated Oropharyngeal Cancer
<u>HN009</u> <small>SCHEMA</small>	<b>(RT at Carle and SJMC)</b> Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m <sup>2</sup> ) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m <sup>2</sup> ) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN)
<b>NSCLC</b>	
<u>LU008</u> <small>SCHEMA</small>	<b>(RT at Carle, Glen Oak, SJMC, Rt 91)</b> Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally Advanced Non-Small Cell Lung Cancer
<b>PROSTATE</b>	
<u>GU008</u> <small>SCHEMA</small>	<b>(RT at Glen Oak and Carle)</b> Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging Into Treatment for Patients With Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE): <i>Intensifying Treatment for Node Positive Prostate Cancer by Varying the Hormonal Therapy</i>
<u>GU009</u> <small>SCHEMA</small>	<b>(RT at Glen Oak, Carle, Rt 91)</b> Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De-Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk With Radiation ( <b>PREDICT-RT*</b> ) ( <i>intensification cohort (groups 3 and 4) closed to accrual</i> )
<u>GU010</u> <small>SCHEMA</small>	<b>(RT at Carle)</b> Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification and Intensification Clinical Trial Evaluation (GUIDANCE)
<u>GU013</u> <small>SCHEMA</small>	<b>(RT credentialing pending)</b> The Phase III 'High Five Trial' Five Fraction Radiation for High-Risk Prostate Cancer
<b>RENAL</b>	

<p><b><u>EA8211</u></b></p> <p><small>SCHEMA</small></p>	<p><b>(RT at Rt 91, Glen Oak)</b> Phase III Randomized Trial of Stereotactic Ablative Radiotherapy (SAbR) for Oligometastatic Advanced Renal Carcinoma (SOAR)</p>
<p><b>SCLC</b></p>	
<p><b><u>NRG CC009</u></b></p> <p><small>SCHEMA</small></p>	<p><b>(Glen Oak, Carle)</b> - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer</p>
<p><b><u>S1827</u></b></p>	<p><b>(Glen Oak, SJMC, Carle)</b> A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer</p>



# MASTER TRIAL LIST

SEPTEMBER 2024



## SARCOMA

Navigator - Carrie x3621

**EA7222**

**SCHEMA**

A Randomized Phase III Trial of Doxorubicin + Pembrolizumab Versus Doxorubicin Alone for the Treatment of Undifferentiated Pleomorphic Sarcoma (UPS) and Related Poorly Differentiated Sarcomas

# MASTER TRIAL LIST

SEPTEMBER 2024



## SMALL CELL LUNG CANCER

Navigator - Ashton x3611

<p><b><u>NRG CC009</u></b></p> <p><a href="#">SCHEMA</a></p>	<p><b>(RT at Glen Oak, Carle)</b> - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer</p>
<p><b><u>S1827</u></b></p>	<p><b>(RT at Glen Oak, SJMC, Carle)</b> A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer</p>
<p><b><u>TP-CA-003 (Sculptor)</u></b></p>	<p><b>(Peoria, Blm, Canton, Gburg, Ottawa, Pekin, Peru, Washington)</b> A Tissue and Longitudinal Circulating Tumor DNA (ctDNA) Biomarker Profiling Study of Patients with Small Cell Lung Cancer (SCLC) Using Comprehensive Next-Generation Sequencing (NGS) Assays (TEMPUS)</p>