

DECEMBER 2024



Updated 12.17.24

RADIATION LOCATIONS:

OSF Glen Oak - OSF main hospital
OSF Route 91 (attached to Illinois CancerCare)
SJMC - St Joseph Medical Center





DECEMBER 2024

	JUST IN TIME (JIT) TRIALS	*Contact Disease Specific Navigator			
Multi-Disease Site: Advanced/Metastatic Solid Tumors					
EAY191- (Combomatch) E5	A Randomized Phase II Study of AMG 510 (Sotorasib) With or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial				
EAY191 - (Combomatch) N5	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination With Palbociclib, a CDK4/6 Inhibitor, in Patients With HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial				
EAY191 (Combomatch) - S3	A Phase II Study of Paclitaxel + Ipatasertib In Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors)				
<u>RAIN-3202</u>	A Phase 2 Basket Study of Milademetan in Advanced/Metastatic Solid Tumors				
	ALL				
<u>EA9213</u>	A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy- Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia (T-ALL)				
	AL Amyloidosis				
A Phase III, Randomized Study of Daratumumab, Cyclophosphamide, Bortezomib and Dexamethasone (Dara-VCD) Induction Followed by Autologous Stem Cell Transplant or Dara-VCD Consolidation and Daratumumab Maintenance in Patients With Newly Diagnosed AL Amyloidosis					
	Biliary				
EAY191 (ComboMatch) -A6	FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial				
Breast					
EAY191 (Combomatch) - N2					
CLL					

<u>\$1925</u>	Randomized, Phase III Study of Early Intervention With Venetoclax and Obinutuzumab Versus Delayed Therapy With Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients With Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study		
	Gynecological		
<u>GY026</u>	A Phase II/III Study of Paclitaxel/Carboplatin Alone or Combined With Either Trastuzumab and Hyaluronidase-Oysk (HERCEPTIN HYLECTA) or Pertuzumab, Trastuzumab, and Hyaluronidase-Zzxf (PHESGO) in HER2 Positive, Stage I-IV Endometrial Serous Carcinoma or Carcinosarcoma (temporarily closed for stage I-II for interim analysis)		
	Genitourinary - Rare		
<u>A031702</u>	Phase II Study of Cabozantinib in Combination with Nivolumab and Ipilimumab in Rare Genitourinary Tumors Enrolling cohorts: renal collecting duct, bladder plasmacytoid, sarcomatoid bladder, urethral carcinoma (which allows any histology urothelial, squamous, clear cell, or adenocarcinoma), and Bone only (which allows for any GU histology, except prostate).		
	Head & Neck		
<u>EA3191</u>	A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Second Primary Head and Neck Squamous Cell Carcinoma With High Risk Features		
<u>EA3211</u>	Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma		
<u>HN010</u>	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naive, Unresectable HER2-Positive Salivary Gland Cancer		
	Melanoma		
<u>A091903</u>	A Randomized Phase II Trial of Adjuvant Nivolumab With or Without Cabozantinib in Patients With Resected Mucosal Melanoma		
Multiple Myeloma			
A062102 SCHEMA	Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecaptagene Vicleucel CAR-T in Multiple Myeloma Patients		
EAA173	Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)		

S2209 SCHEMA	A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance		
	Neuroendocrine		
<u>\$2104</u>	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors		
	Pancreas		
<u>A022106</u>	Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)		
<u>\$2104</u>	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors		
'	Rectal		
<u>EA2201</u>	Temporarily Closed (RT at Glen Oak, UPHM) A Phase II Study of Neoadjuvant Nivolumab Plus Ipilimumab and Short-Course Radiation in MSI-H/dMMR Locally Advanced Rectal Adenocarcinoma		
	Thyroid		
<u>EA3231</u>	A Randomized Phase III Study of BRAF-Targeted Therapy vs Cabozantinib in RAI-Refractory Differentiated Thyroid Cancer with BRAF V600Em		



MENU

DECEMBER 2024

AML

Navigator - Heather x3661

MM1YA-S01

SCHEMA

A Randomized Phase II Study Comparing Cytarabine + Daunorubicin (7 + 3) to (Daunorubicin and Cytarabine) Liposome, Cytarabine + Daunorubicin + Venetoclax, and Azacitidine + Venetoclax in Patients Aged 59 or Younger With High-Risk (Adverse) Acute Myeloid Leukemia; **A MYELOMATCH Clinical Trial**





DECEMBER 2024

ANAL

Navigator - Carrie x3621



DECEMBER 2024

MENU

APL

Navigator - Heather x3661

There are no trials available at this time



MENU

DECEMBER 2024

ACUTE LYMPHOBLASTIC LEUKEMIA

Navigator - Heather x3661

EA9213 - JIT Trial

A Phase II Study of Daratumumab-Hyaluronidase for Chemotherapy-Relapsed/Refractory Minimal Residual Disease (MRD) in T Cell Acute Lymphoblastic Leukemia (T-ALL)





DECEMBER 2024

BILIARY

Navigator - Carrie x3621

Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment T cancer and other RAS mutant tumors are temporarily closed)		Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial (cohorts for pancreatic cancer and other RAS mutant tumors are temporarily closed)
	SCHEMA	

EAY191 (ComboMatch) -A6
(JIT)

FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial





DECEMBER 2024

BLADDER / UROTHELIAL

Navigator - Carrie x3621

ADJUVANT / NEOADJUVANT

<u>A032103</u>

SCHEMA

An Integrated Phase 2/3 and Phase 3 Trial of MRD-Based Optimization of Adjuvant Therapy in Urothelial Cancer (MODERN)

METASTATIC

no trial available at this time





DECEMBER 2024

		A	A	
_	u	/1	м	
	п.	_	•	•

Navigator - Carrie x3621

A071702	Temporarily Suspended A Phase II Study of Checkpoint Blockade Immunotherapy in Patients With Somatically Hypermutated Recurrent WHO Grade 4 Glioma
A072201	Randomized Phase II Trial of Anti-Lag-3 and Anti-PD-1 Blockade vs. SOC in Patients With Recurrent Glioblastoma
BN011 SCHEMA	(RT at SJMC, Glen Oak) A Phase III Trial of Gleostine® (Lomustine)-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients With Methylated MGMT Promoter Glioblastoma



MENU

DECEMBER 2024

BREAST

Navigator - Angie x3613

	DCIS		
No trials at this time	No trials at this time		
	NEO/ADJUVANT TREATMENT		
<u>\$1706*</u>	Not Actively Screeening - Contact Navigator - A Phase II Randomized Trial of Olaparib (NSC-747856) Administered Concurrently with Radiotherapy versus Radiotherapy Alone for Inflammatory Breast Cancer (All biomarker subgroups eligible) *JIT TRIAL - expect 1 week delay to consent pt		
Neo/Adjuvant - HEI	R2 Positive		
<u>A011801</u>	The CompassHER2 Trials (Comprehensive Use of Pathologic Response Assessment to Optimize Therapy in HER2-Positive Breast Cancer) CompassHER2 Residual Disease (RD), a Double-Blinded, Phase III Randomized Trial of T-DM1 Compared With T-DM1 and Tucatinib		
Neo/Adjuvant - Hor	rmone Receptor Positive / HER2 Negative		
BR007	(RT at Glen Oak, Rt 91, SJMC) Phase III Clinical Trial Evaluating De-Escalation of Breast Radiation for Conservative Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurrence Score Less Than or Equal to 18 Breast Cancer		
BR009 SCHEMA	A Phase III Adjuvant Trial Evaluating the Addition of Adjuvant Chemotherapy to Ovarian Function Suppression Plus Endocrine Therapy in Premenopausal Patients With pN0-1, ER-Positive/HER2-Negative Breast Cancer and an Oncotype Recurrence Score Less Than or Equal to 25 (OFSET)		
J2J-MC-JZLH / EMBER- 4	(Peoria, Bloomington, Galesburg, Pekin, Washington, Ottawa, Peru) A Randomized, Open-Label, Phase 3 Study of Adjuvant Imlunestrant vs Standard Adjuvant Endocrine Therapy in Patients Who Have Previously Received 2 to 5 Years of Adjuvant Endocrine Therapy for ER+, HER2- Early Breast Cancer With an Increased Risk of Recurrence		
S2206 SCHEMA	Phase III Trial of Neoadjuvant Durvalumab (NSC 778709) Plus Chemotherapy Versus Chemotherapy Alone for MammaPrint Ultrahigh (MP2) Hormone Receptor (HR) Positive / Human Epidermal Growth Factor Receptor (HER2) Negative Stage II-III Breast Cancer		
Neo/Adjuvant - Trip	ole Negative		
A012103	OptimICE-PCR: De-Escalation of Therapy in Early-Stage TNBC Patients Who Achieve pCR After Neoadjuvant Chemotherapy With Checkpoint Inhibitor Therapy		

01-PS-001/ NeXT	(sites TBD) Minimal/Molecular Residual Disease Detection and Therapy Monitoring in Patients with Early Stage TNBC-Phase I (B-STRONGER-I)		
S2212 / SCARLET	Shorter Anthracycline-Free Chemo Immunotherapy Adapted to Pathological Response in Early Triple Negative Breast Cancer (SCARLET), A Randomized Phase III Study		
	METASTATIC TREATMENT		
Metastatic - HER2	Positive (no trials at this time)		
Metastatic - Hormo	one Receptor Positive / HER2 Negative		
EAY191 (Combomatch) - N2 (JIT)	Molecular Analysis for combination Therapy Choice (SUBSTUDY- N2: Phase II Trial of Fulvestrant and Binimetinib in Patients With Hormone Receptor-Positive Metastatic Breast Cancer With A Frameshift or Nonsense Mutation or Genomic Deletion in NF1)		
<u>\$1703</u>	Randomized Non-Inferiority Trial Comparing Overall Survival of Patients Monitored with Serum Tumor Marker Directed Disease Monitoring (STMDDM) Versus Usual Care in Patients with Metastatic Hormone Receptor Positive HER-2 Negative Breast Cancer		
S2007	Not Actively Screening - contact Navigator - A Phase II Trial of Sacituzumab Govitecan (IMMU-132) (NSC #820016) for Patients With HER2-Negative Breast Cancer and Brain Metastases		
Metastatic - Triple	Negative (no trials at this time)		
	SURGERY / RADIATION ONLY		
<u>MA.39</u>	Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomarker Low Risk Node Positive Breast Cancer (RT: Glen Oak)		
	CANCER CONTROL (Breast only)		
CC011	Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi- Center Randomized Double-Blinded Controlled Trial		
\$2010	A Randomized Phase III Trial Comparing Active Symptom Monitoring Plus Patient Education Versus Patient Education Alone to Improve Persistence With Endocrine Therapy in Young Women With Stage I-III Breast Cancer (ASPEN)		
<u>\$2013</u> ► SCHEMA	REOPENED (Peoria, Bloomington, Galesburg, Pekin, Washington) Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT) (Enrolling to Cohort 2 only: ICI-chemo regimens for NSCLC, SCLC, TNBC, and Gastroesophageal)		
<u>URCC-18007</u>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue- at least 2 months out from surgery/tx/radiation		

URCC 19185 SCHEMA	(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington) Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)		
URCC 21038 SCHEMA	(Peoria, Bloomington, Galesburg, Pekin, Washington) Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting (limited enrollment remaining for caucasian pts - contact CRC to confirm availability)		
WF-1901 SCHEMA	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)		
WF-2202 ► SCHEMA	Optimizing Psychosocial Intervention for Breast Cancer-Related Sexual Morbidity: The Sexual Health and Intimacy Education (SHINE) Trial (temporarily closing to non-hispanic white participants on 8.22.24)		
	GYNECOLOGICAL Navigator - Angie x3613		
NRG - GY023	Temporarily Closed A Randomized Phase II Trial of Triplet Therapy (a PD-L1 Inhibitor (Durvalumab) MEDI4736 in Combination With Olaparib and Cediranib) Compared to Olaparib and Cediranib or (Durvalumab) MEDI4736 and Cediranib or Standard of Care Chemotherapy in Women With Platinum-Resistant Recurrent Epithelial Ovarian Cancer, Primary Peritoneal or Fallopian Cancer Who Have Received Prior Bevacizumab		
EAY191 (ComboMATCH) - A3	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial (cohort for pancreatic cancer temporarily closed)		
EAY191 (ComboMATCH) - N4	Molecular Analysis for combination Therapy Choice (SUBSTUDY- N4: A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers)		



MENU

DECEMBER 2024

Navigators - Courtney x3660 Erica x3626

	CANCER CONTROL	Jessica x 3603		
SURVIVORSHIP				
CC011 SCHEMA	Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi- Center Randomized Double-Blinded Controlled Trial			
EAQ211 ► SCHEMA	Social Genomic Mechanisms of Health Disparities Among Ad (AYA) Survivors of Hodgkin and Non-Hodgkin Lymphoma	olescent and Young Adult		
<u>URCC-18007</u>	Randomized Placebo Controlled Trial of Bupropion For Cancer Rela out from surgery/tx/radiation	ated Fatigue - at least 2 months		
WF-1901 ► SCHEMA	Internet-delivered Management of Pain Among Cancer Treatment	: Survivors (IMPACTS)		
<u>WF-2202</u> ■ SCHEMA	Optimizing Psychosocial Intervention for Breast Cancer-Related Se Health and Intimacy Education (SHINE) Trial (temporarily closing t participants on 8.22.24)	· ·		
	MULTI-DISEASE SITES			
EAQ202	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials (caucasian cohort is closed - currently enrolling only <u>non</u> -caucasian participants)			
S2013 SCHEMA	REOPENED! (Peoria, Bloomington, Galesburg, Pekin, Washington) Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT) (Enrolling to Cohort 2 only : ICI - chemo regimens for NSCLC, SCLC, TNBC, and Gastroesophageal)			
<u>URCC-18007</u>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - at least 2 months out from surgery/tx/radiation			
URCC 19185 ► SCHEMA	Insomnia (BRT-CI) and Healthy Fating Education Learning (HEAL)			
URCC 21038	for caucasian pts - contact CRC to confirm availability)			
URCC 22063	Longitudinal Observational Trial to Uncover Subtypes of Cancer Ca	achexia		
WF-1901 SCHEMA	Internet-delivered Management of Pain Among Cancer Treat	tment Survivors (IMPACTS)		
BREAST				

CC011 SCHEMA Cognitive Training for Cancer Related Cognitive Impairment in Breast Cancer Survivors: A Multi-Center Randomized Double-Blinded Controlled Trial

	A Randomized Phase III Trial Comparing Active Symptom Monitoring Plus Patient			
<u>\$2010</u>	Education Versus Patient Education Alone to Improve Persistence With Endocrine Therapy			
SCHEMA	in Young Women With Stage I-III Breast Cancer (ASPEN)			
	Optimizing Psychosocial Intervention for Breast Cancer-Related Sexual Morbidity:The Sexual			
<u>WF-2202</u>	Health and Intimacy Education (SHINE) Trial (temporarily closing to non-hispanic white			
SCHEMA	participants on 8.22.24)			
	COLORECTAL			
Myopenia and Mechanisms of Chemotherapy Toxicity in Older Adults With Colorectal Cancer: The M&M Study				
SCHEMA	SCHEMA SCHEMA			
	LYMPHOMA			
	Social Genomic Mechanisms of Health Disparition	es Among Adolescent and Young Adult		
EAQ211 SCHEMA	(AYA) Survivors of Hodgkin and Non-Hodgkin Lymphoma			
*Contact Disease Specifc Navigator				
<u>PRECEDE</u>	The Pancreatic Cancer Early Detection Consortion	,iii		
TP-CA-007 ARIES	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (currently enrolling KRAS+			
	CRC, NSCLC, and Pancreatic cancer pts)			





DECEMBER 2024

 _	

Navigator - Heather x3661

1st Line

S1925-JIT

Randomized, Phase III Study of Early Intervention With Venetoclax and Obinutuzumab Versus Delayed Therapy With Venetoclax and Obinutuzumab in Newly Diagnosed Asymptomatic High-Risk Patients With Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): EVOLVE CLL/SLL Study

2nd Line, 3rd Line, etc.

APG2575CG301

SCHEMA

(Peoria, Bloomington, Galesburg, Pekin, Peru, Ottawa, Washtington) A Global Multicenter, Open Label, Randomized Phase 3 Registrational Study of Lisaftoclax (APG-2575) in Previously Treated Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (GLORA Study)





DECEMBER 2024

CML

Navigator - Heather x3661

no trials at this time



MENU

DECEMBER 2024

COLON / RECTAL

Navigator - Carrie x3621

Adjuvant					
A022004 Randomized Trial of Consolidation Targeted Adjuvant Therapy With Encorafenib and Cetuximab Versus Usual Care for Patients With Stage II/III BRAF V600E Colon Cancer					
<u>C-14</u>	(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington) Second Colorectal Cancer Clinical Validation Study to Predict Recurrence Using A Circulating Tumor DNA Assay To Detect Minimal Residual Disease (CORRECT-MRD II)				
<u>EA2201 - JIT</u>	Temporarily Closed (RT at Glen Oak) A Phase II Study of Neoadjuvant Nivolumab Plus Ipilimumab and Short-Course Radiation in MSI-H/dMMR Locally Advanced Rectal Adenocarcinoma				
G1008 ► SCHEMA	Colon Adjuvant Chemotherapy Based on Evaluation of Residual Disease				
	CANCER CONTROL (Colorectal only)				
EAQ202 SCHEMA	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials (caucasian cohort is closed - currently enrolling only <u>non</u> -caucasian participants)				
<u>\$2013</u> ▶ SCHEMA	REOPENED (Peoria, Bloomington, Galesburg, Pekin, Washington) Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT) (<u>Enrolling to Cohort 2 only</u> : ICI - chemo regimens for NSCLC, SCLC, TNBC, and Gastroesophageal)				
TP-CA-007 ARIES	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)				

<u>URCC-18007</u>	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - at least 2 months out from surgery/tx/radiation
URCC 19185	(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington) Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)
URCC 21038 SCHEMA	(Peoria, Bloomington, Galesburg, Pekin, Washington) Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting (limited enrollment remaining for caucasian pts - contact CRC to confirm availability)
URCC 22063	Longitudinal Observational Trial to Uncover Subtypes of Cancer Cachexia
<u>WF-1806</u> ■ SCHEMA	Myopenia and Mechanisms of Chemotherapy Toxicity in Older Adults With Colorectal Cancer: The M&M Study
WF-1901 SCHEMA	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)



MENU

DECEMBER 2024

	ESOPHAGEAL- GASTRIC	Navigator - Carrie x3621
<u>A022102</u>	Randomized Phase III Trial of mFOLFIRINOX vs. FOLFOX With Nivolumab for Metastatic HER2- Gastroesophageal Adenocarcinoma	or First-Line Treatment of
<u>\$2303</u>	Randomized Phase II/III Trial of 2nd Line Nivolumab + Paclitaxel + Ramucirumak Ramucirumab in Patients With PD-L1 CPS >/= 1 Advanced Gastric and Esophage (PARAMMUNE)	





DECEMBER 2024

HEAD & NECK

Navigator - Ashton x3611

<u>EA3161</u>	Temporarily Closed (RT at Glen Oak) A Phase II/III Randomized Study of Maintenance Nivolumab Versus Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC					
<u>EA3191 - JIT</u>	A Phase II Randomized Trial of Adjuvant Therapy With Pembrolizumab After Resection of Recurrent/Secor Primary Head and Neck Squamous Cell Carcinoma With High Risk Features					
<u>EA3211 - JIT</u>	Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma					
HN009	(RT at SJMC) Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m2) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m2) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN) (accrual closed to p16+ oropharyngeal/unknown primary cohort)					
<u>HN010 - JIT</u>	A Controlled, Randomized Phase II Trial of Docetaxel Plus Trastuzumab Versus Ado-Trastuzumab Emtansine for Recurrent, Metastatic, or Treatment-Naive, Unresectable HER2-Positive Salivary Gland Cancer					
S2101 SCHEMA	Temporarily Closed Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Patients With Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study					





DECEMBER 2024

Navigator - Heather x3661

LYMPHOMA

NHL
(Peoria only) A Phase III, Multicenter, Randomized, Open-Label Study Comparing the Efficacy and Safety of Glofitamab (RO7082859) in Combination With Polatuzumab Vedotin Plus Rituximab, Cyclophosphamide, Doxorubicin, and Prednisone (Pola-R-CHP) Versus Pola-R-CHP in Previously Untreated Patients With Large B-Cell Lymphoma
(Peoria, Bloomington, Galesburg, Ottawa, Pekin, Peru, Washington) A Phase 3, Multicenter, Randomized, Open-Label Trial to Evaluate the Safety and Efficacy of Epcoritamab + Rituximab and Lenalidomide (R2) Compared to Chemoimmunotherapy in Previously Untreated Follicular Lymphoma (EPCORE™FL-2)
Randomized Phase III Study of Mosunetuzumab vs Rituximab for Low Tumor Burden Follicular Lymphoma



MENU

DECEMBER 2024

MDS/MPN

Navigator - Heather x3661

No trials at this time





DECEMBER 2024

				_		
M	H	Δ	N	()	IVI	Δ

Navigator - Carrie x3621

<u>A091903 - JIT Trial</u>	A Randomized Phase II Trial of Adjuvant Nivolumab With or Without Cabozantinib in Patients With Resected Mucosal Melanoma				
R3767-ONC-22122	(Peoria, Bloomington, Galesburg, Ottawa, Pekin, Peru, Washington) A Phase 3 Study of Fixed Dose Combinations of Fianlimab and Cemiplimab Versus Relatlimab and Nivolumab in Participants with Unresectable or Metastatic Melanoma.				
<u>\$2101</u>	Temporarily Closed Biomarker Stratified CaboZantinib (NSC#761968) and NivOlumab (NSC#748726) (BiCaZO) - A Phase II Study of Combining Cabozantinib and Nivolumab in Patients With Advanced Solid Tumors (IO Refractory Melanoma or HNSCC) Stratified by Tumor Biomarkers - an immunoMATCH Pilot Study				



MENU

DECEMBER 2024

MERKEL

Navigator - Carrie x3621

no trials at this time.



MENU

DECEMBER 2024

MOLECULAR STUDIES

*Contact Disease Specifc Navigator

EAY191 - COMBOMATCH	Targeted Therapy Directed by Genetic Testing in Treating Patients With Locally Advanced or Advanced Solid Tumors, The ComboMATCH Screening Trial (multiple substudies available)				
EAY191 (ComboMatch) -A3	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial (cohorts for pancreatic cancer and other RAS mutant tumors are temporarily closed)				
EAY191 (ComboMatch) -A6	FOLFOX in Combination With Binimetinib as 2nd Line Therapy for Patients With Advanced Biliary Tract Cancers With MAPK Pathway Alterations: A ComboMATCH Treatment Trial				
EAY191- (Combomatch) E5	A Randomized Phase II Study of AMG 510 (Sotorasib) With or Without Panitumumab in Advanced Solid Tumors: A ComboMATCH Treatment Trial				
EAY191 (Combomatch) - N2	Molecular Analysis for combination Therapy Choice (SUBSTUDY- N2: Phase II Trial of Fulvestrant and Binimetinib in Patients With Hormone Receptor-Positive Metastatic Breast Cancer With A Frameshift or Nonsense Mutation or Genomic Deletion in NF1)				
EAY191 (ComboMATCH) - N4	Molecular Analysis for combination Therapy Choice (SUBSTUDY- N4: A Randomized Trial of Selumetinib and Olaparib or Selumetinib Alone in Patients with Recurrent or Persistent RAS Pathway Mutant Ovarian and Endometrial Cancers)				
EAY191 - (Combomatch) N5	A Randomized Trial of Neratinib, A Pan-ERBB Inhibitor, Alone or in Combination With Palbociclib, a CDK4/6 Inhibitor, in Patients With HER2+ Gynecologic Cancers and Other Solid Tumors: A ComboMATCH Treatment Trial				
EAY191 (Combomatch) - S3	A Phase II Study of Paclitaxel + Ipatasertib In Taxane-Refractory Participants with AKT-Altered Advanced Non-Breast Solid Tumors)				
PRECEDE	The Pancreatic Cancer Early Detection Consortium				
TP-CA-003 (Sculptor)	(Peoria, Blm, Canton, Gburg, Ottawa, Pekin, Peru, Washington) A Tissue and Longitudinal Circulating Tumor DNA (ctDNA) Biomarker Profiling Study of Patients with Small Cell Lung Cancer (SCLC) Using Comprehensive Next-Generation Sequencing (NGS) Assays (TEMPUS)				

TP-CA-007 ARIES

TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)



MENU

DECEMBER 2024

8 41 11	TIDE	F 0 41	751	0 A A A
IVILJI	IIIPI	F IVI	Y F I (OMA

Navigator - Heather x3661

A062102 - JIT	Randomized Phase 2 Study of Iberdomide Maintenance Therapy Following Idecaptagene Vicleucel CAR-T in Multiple Myeloma Patients
EAA173 - JIT	Daratumumab to Enhance Therapeutic Effectiveness of Revlimid in Smoldering Myeloma (DETER-SMM)
S2209 - JIT	A Phase III Randomized Trial for Newly Diagnosed Multiple Myeloma (NDMM) Patients Considered Frail or in a Subset of "Intermediate Fit" Comparing Upfront Three-Drug Induction Regimens Followed by Double or Single-Agent Maintenance





DECEMBER 2024

	NEUROENDOCRINE	Navigator - Carrie x3621		
<u>A021804</u>	A Prospective, Multi-Institutional Phase II Trial Evaluating Temozolomide vs. Temozolomide and Olaparib for Advanced Pheochromocytoma and Paraganglioma			
<u>S2104 - JIT Trial</u>	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Ter Observation in High-Risk Pancreatic Neuroendocrine Tumors	mozolomide Versus		



MENU

DECEMBER 2024

NSCLC

Navigator - Ashton x3611

	ADJOVANT / NEOADJOVANT
A081801 SCHEMA	(Peoria, Bloomington, Pekin, Galesburg, Washington, Ottawa) Integration of Immunotherapy Into Adjuvant Therapy for Resected NSCLC: ALCHEMIST Chemo-IO (ACCIO)
LU008	(RT at Glen Oak, SJMC, Rt 91) Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally Advanced Non-Small Cell Lung Cancer
	METASTATIC - 1st Line
EA5182 SCHEMA	Randomized Phase III Study of Combination AZD9291 (osimertinib) and Bevacizumab versus AZD9291 (osimertinib) Alone as First-Line Treatment for Patients with Metastatic EGFR-Mutant Non-Small Cell Lung Cancer (NSCLC)
<u>MK-3475A-F84</u>	COMING SOON! A Phase 3 Randomized, Open-label Clinical Study to Evaluate the Pharmacokinetics and Safety of Subcutaneous Pembrolizumab Coformulated With Hyaluronidase (MK3475A) Versus Intravenous Pembrolizumab, in the First-line Treatment of Participants With Metastatic Non-small Cell Lung Cancer With PD-L1 TPS ≥50%
	METASTATIC - 2nd/3rd Line
<u>LUNGMAP</u>	A Master Protocol To Evaluate Biomarker-Driven Therapies and Immunotherapies in Previously-Treated NSCLC.
	S1900E (substudy) - A Phase II Study of AMG 510 in Participants With Previously Treated Stage IV or Recurrent KRAS G12C Mutated Non-Squamous Non-Small Cell Lung Cancer - cohorts are closed for pts with TP53 co-mutations or STK11 co-mutations.
	S1900G (substudy) - A Randomized Phase II Study of INC280 (Capmatinib) Plus Osimertinib With or Without Ramucirumab in Participants With EGFR-Mutant, MET-Amplified Stage IV or Recurrent Non-Small Cell Lung Cancer
	S1900J (substudy): A Phase II Study of Amivantamab SC (subcutaneous) in Participants with MET Amplification - Positive Stage IV or Recurrent NSCLC
	S1900K (substudy)- A Randomized Phase II Study of Tepotinib with or without Ramucirumab in Participants with MET Exon 14 Skipping Positive Stage IV or Recurrent Non-Small Cell Lung Cancer
S2302 (Pragmatica)	A Prospective Randomized Study of Ramucirumab (LY3009806; NSC 749128) Plus Pembrolizumab (MK-3475; NSC 776864) Versus Standard of Care for Participants Previously Treated With Immunotherapy for Stage IV or Recurrent Non-Small Cell Lung Cancer (Pragmatica-Lung)
	CANCER CONTROL (NSCLC Only)
EAQ202	Improving Adolescent and Young Adult Self-Reported Data in ECOG-ACRIN Trials (caucasian cohort is closed - currently enrolling only <u>non</u> -caucasian participants)
S2013 ► SCHEMA	REOPENED (Peoria, Bloomington, Galesburg, Pekin, Washington) Immune Checkpoint Inhibitor Toxicity: A Prospective Observational Study (I-CHECKIT) (<u>Enrolling to Cohort 2 only</u> : ICI - chemo regimens for NSCLC, SCLC, TNBC, and Gastroesophageal)
TP-CA-007 ARIES	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)

URCC-18007	Randomized Placebo Controlled Trial of Bupropion For Cancer Related Fatigue - at least 2 months out from surgery/tx/radiation
URCC 19185	(Peoria, Bloomington, Canton, Galesburg, Ottawa, Pekin, Peru, Washington) Multicenter Randomized Controlled Trial Comparing Brief Behavioral Therapy for Cancer Related Insomnia (BBT-CI) and Healthy Eating Education Learning (HEAL)
URCC 21038 SCHEMA	(Peoria, Bloomington, Galesburg, Pekin, Washington) Disparities in Results of ImmuneCheckpoint Inhibitor Treatment (DiRECT): A Prospective Cohort Study of Cancer Survivors Treated With anti-PD-1/anti-PD-L1 Immunotherapy in a Community Oncology Setting (limited enrollment remaining for caucasian pts - contact CRC to confirm availability)
URCC 22063 SCHEMA	Longitudinal Observational Trial to Uncover Subtypes of Cancer Cachexia
WF-1901	Internet-delivered Management of Pain Among Cancer Treatment Survivors (IMPACTS)





DECEMBER 2024

					_
PA	A 1 /	ΤП.	$ \Lambda$	TI	_
$\boldsymbol{\nu}_{\boldsymbol{\Delta}}$	NI	K	- 4		•

Navigator - Carrie x3621

<u>A022106 - JIT</u>	Phase II/III Second-Line NABPLAGEM vs. Nab-Paclitaxel/Gemcitabine in BRCA1/2 or PALB2 Mutant Metastatic Pancreatic Ductal Adenocarcinoma (PLATINUM)
EA2192 SCHEMA	A Randomized Phase II Double-Blind Study of Olaparib Versus Placebo Following Curative Intent Therapy in Patients With Resected Pancreatic Cancer and a Pathogenic BRCA1, BRCA2 or PALB2 Mutation (APOLLO)
EAY191 (ComboMATCH) - A3 SCHEMA	Palbociclib and Binimetinib in RAS-Mutant Cancers: A ComboMATCH Treatment Trial (cohorts for pancreatic cancer and other RAS mutant tumors are temporarily closed)
S2001 SCHEMA	Randomized Phase II Clinical Trial of Olaparib + Pembrolizumab vs. Olaparib Alone as Maintenance Therapy in Metastatic Pancreatic Cancer Patients With Germline BRCA1 or BRCA2 Mutations
S2104 - JIT Trial	Randomized Phase II Trial of Postoperative Adjuvant Capecitabine and Temozolomide Versus Observation in High-Risk Pancreatic Neuroendocrine Tumors
TP-CA-007 ARIES	TEMPUS ARIES: A Biobank Registry Platform Study in Oncology (currently enrolling KRAS+ CRC, NSCLC, and Pancreatic cancer pts)



MENU

DECEMBER 2024

	PROSTATE	Navigator - Carrie x3621	
ADJUVANT			
GU008	(RT at Glen Oak) Randomized Phase III Trial Incorporating Apaluta Treatment for Patients With Node-Positive Prostate Cancer After Intensifying Treatment for Node Positive Prostate Cancer by Varya	Radical Prostatectomy (INNOVATE):	
GU009 SCHEMA	(RT at Glen Oak and Rt 91) Parallel Phase III Randomized Trials for Evaluating De-Intensification for Lower Genomic Risk and Intensification (PREDICT-RT*) (intensification accrual)	fication of Concurrent Therapy for	
GU010	(RT at Glen Oak) Parallel Phase III Randomized Trials of Genomic- Intermediate Risk Prostate Cancer: De-Intensification and Intensification (GUIDANCE) (intensification cohort (groups 3 and 4) closed to acc	fication Clinical Trial Evaluation	
GU013	(RT at Glen Oak) The Phase III 'High Five Trial' Five Fraction Radiation for High-Risk Prostate Cancer		
METASTATIC			
A032102 SCHEMA	NEW! PREcision Diagnostics in Prostate Cancer Treatment (PREDI	ICT)	
MK5684-004	NEW! (Peoria, Bloomington, Galesburg, Pekin, Peru, Ottawa, Wa Open-label Study of MK-5684 Versus Alternative Abiraterone Ace with Metastatic Castration-resistant Prostate Cancer (mCRPC) The Treatment with One Next-generation Hormonal Agent (NHA)	etate or Enzalutamide in Participants	

S2312

SCHEMA

A Phase III Study of Cabazitaxel With or Without Carboplatin in Patients With Metastatic Castrate-Resistant Prostate Cancer (mCRPC), Stratified by Aggressive Variant Signature



MENU

DECEMBER 2024

RENAL CELL

Navigator - Carrie x3621

EA8211 SCHEMA

(RT at Rt 91, Glen Oak) Phase III Randomized Trial of Stereotactic Ablative Radiotherapy (SAbR) for Oligometastatic Advanced Renal Carcinoma (SOAR)

<u>S2200</u>

SCHEMA

A Phase II Randomized Trial of Cabozantinib (NSC #761968) With or Without Atezolizumab (NSC #783608) in Patients With Advanced Papillary Renal Cell Carcinoma (PAPMET2)



MENU

DECEMBER 2024

	RADIATION TRIALS	Navigator - Jessica x3615	
BRAIN			
<u>BN011</u>	(RT at SJMC, Glen Oak) A Phase III Trial of Gleostine® (Lomustine)-Temozolomide Combination Therapy Versus Standard Temozolomide in Patients With Methylated MGMT Promoter Glioblastoma		
BRAIN METS			
BN010 ► SCHEMA	(RT at Glen Oak) A Safety Run-In and Phase II Study Evaluating the Efficacy, Sa Microenvironment of the Combination of Tocilizumab, Atezolizumab, and Frac Radiotherapy in Recurrent Glioblastoma (currently enrolling to phase II non-su	tionated Stereotactic	
BN012	(RT credentialing pending) A Randomized Phase III Trial of Pre-Operative Com Stereotactic Radiosurgery in Patients with Resectable Brain Metastases	pared to Post-Operative	
CCTG CE.7	(Glen Oak)- A Phase III Trial of Stereotactic Radiosurgery Compared with Whole Brain Radiotherapy (WBRT) for 5-15 Brain Metastases		
<u>WF-2201</u>	(Glen Oak; Pending at Rt 91) - Hypofractionated Radiotherapy vs Single Fracti Metastasis Patients On Immunotherapy (HYPOGRYPHE)	on Radiosurgery For Brain	
BREAST			
BR007	(Glen Oak, Rt 91, SJMC) Phase III Clinical Trial Evaluating De-Escalation of Brea Treatment of Stage I, Hormone Sensitive, HER-2 Negative, Oncotype Recurren 18 Breast Cancer		
<u>MA.39</u>	(Glen Oak) Tailor RT: A Randomized Trial of Regional Radiotherapy in Biomark Breast Cancer	er Low Risk Node Positive	
HEAD & NECK			
<u>EA3161</u>	Temporarily Closed (Glen Oak) A Phase II/III Randomized Study of Maintenan		

Observation in Patients With Locally Advanced, Intermediate Risk HPV Positive OPSCC

<u>EA3211 - JIT</u>	Phase III Randomized Trial of Immunotherapy With or Without Consolidative Radiotherapy for Oligometastatic Head and Neck Squamous Cell Carcinoma
HN009	(RT at SJMC) Randomized Phase II/III Trial of Radiation With High-Dose Cisplatin (100 mg/m2) Every Three Weeks Versus Radiation With Low-Dose Weekly Cisplatin (40 mg/m2) for Patients With Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (SCCHN) (accrual closed to p16+ oropharyngeal/unknown primary cohort)
NSCLC	
LU008	(RT at Glen Oak, SJMC, Rt 91) Phase III Prospective Randomized Trial of Primary Lung Tumor Stereotactic Body Radiation Therapy Followed by Concurrent Mediastinal Chemoradiation for Locally Advanced Non-Small Cell Lung Cancer
PROSTATE	
GU008	(RT at Glen Oak) Randomized Phase III Trial Incorporating Apalutamide and Advanced Imaging Into Treatment for Patients With Node-Positive Prostate Cancer After Radical Prostatectomy (INNOVATE): Intensifying Treatment for Node Positive Prostate Cancer by Varying the Hormonal Therapy
GU009	(RT at Glen Oak, Rt 91) Parallel Phase III Randomized Trials for High Risk Prostate Cancer Evaluating De- Intensification for Lower Genomic Risk and Intensification of Concurrent Therapy for Higher Genomic Risk With Radiation (PREDICT-RT*) (intensification cohort (groups 3 and 4) closed to accrual)
GU010 ► SCHEMA	(RT at Glen Oak) Parallel Phase III Randomized Trials of Genomic-Risk Stratified Unfavorable Intermediate Risk Prostate Cancer: De-Intensification and Intensification Clinical Trial Evaluation (GUIDANCE) (intensification cohort (groups 3 and 4) closed to accrual)
GU013	(RT at Glen Oak) The Phase III 'High Five Trial' Five Fraction Radiation for High-Risk Prostate Cancer
RENAL	
<u>EA8211</u> ■ SCHEMA	(RT at Rt 91, Glen Oak) Phase III Randomized Trial of Stereotactic Ablative Radiotherapy (SAbR) for Oligometastatic Advanced Renal Carcinoma (SOAR)
SCLC	

NRG CC009	(Glen Oak) - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer
<u>\$1827</u>	(Glen Oak, SJMC) A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer



MENU

DECEMBER 2024

SARCOMA

Navigator - Carrie x3621

EA7222

SCHEMA

A Randomized Phase III Trial of Doxorubicin + Pembrolizumab Versus Doxorubicin Alone for the Treatment of Undifferentiated Pleomorphic Sarcoma (UPS) and Related Poorly Differentiated Sarcomas





DECEMBER 2024

SMALL CELL LUNG CANCER

Navigator - Ashton x3611

NRG CC009	(RT at Glen Oak) - Phase III Trial of Stereotactic Radiosurgery (SRS) versus Hippocampal-Avoidant Whole Brain Radiotherapy (HA-WBRT) for 10 or fewer Brain Metastases from Small Cell Lung Cancer
<u>\$1827</u>	(RT at Glen Oak, SJMC) A Randomized Phase III Trial of MRI Surveillance With or Without Prophylactic Cranial Irradiation (PCI) in Small-Cell Lung Cancer
TP-CA-003 (Sculptor)	(Peoria, Blm, Canton, Gburg, Ottawa, Pekin, Peru, Washington) A Tissue and Longitudinal Circulating Tumor DNA (ctDNA) Biomarker Profiling Study of Patients with Small Cell Lung Cancer (SCLC) Using Comprehensive Next-Generation Sequencing (NGS) Assays (TEMPUS)